VCE & PDF
GeekCert.com

000-972^{Q&As}

ILE RPG Programmer

Pass IBM 000-972 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/000-972.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

SATISFACTION GUARANTEED
100%
SATISFACTION GUARANTEED

QUESTION 1

Which of the following provides the equivalent of a compile listing for use in interactive debugging?

A. Include the DBGVIEW(*LIST) keyword on the H Spec.

B. Specify DBGVIEW(*LIST) on the CRTBNDRPG or CRTRPGMOD command.

C. Specify OPTIONS(*DBGVIEW) on the CRTBNDRPG or CRTRPGMOD command.

D. Specify DBGVIEW(*LIST *COPY) on the CRTBNDRPG or CRTRPGMOD command.

Correct Answer: B

QUESTION 2

Which of the following determine the activation group in which an ILE RPG program will run?

A. The value of the ACTGRP parameter in the job description.

B. The activation group in which the calling job was running.

C. The value of the ACTGRP parameter when the program was created.

D. The value specified in a binding directory when the program was created.

Correct Answer: C

QUESTION 3

Given the following code sample:

d monthlyTotals ds Qualified Dim(12)

d amount 9p 2

d quantity 5p 0

d productDetail ds Qualified Dim(999)

d productCode 5a

d totals LikeDs(monthlyTotals)

Which of the following is a valid expression?

A. productDetail(5).totals.amount = 0;

B. productDetail.totals(5).amount(5) = 0;

C. productDetail(5).monthlyTotals(5).amount = 0;

D. productDetail.monthlyTotals(5).amount(5) = 0;

Correct Answer: A

QUESTION 4

Given the following code sample:

DName+++++++++++ETDsFrom+++To/L+++IDc.Keywords+++++++++++++++++++++++++++

+

d StartString s 50a inz(\\'Fred, Barney, Wilma, Betty,\\')

d EndString s like(StartString)

d pos s 3i 0 inz

/free

dou pos >= 3;

pos += 1;

pos = %Scan(\\',\\' : StartString : pos);

enddo;

pos += 1;

EndString = %replace(\\' Dino,\\' : StartString : pos : 0);

Upon completion, what is the value of EndString?

A. Fred, Dino,

B. Dino, Barney, Wilma, Betty,

C. Fred, Barney, Wilma, Betty,

D. Fred, Dino, Barney, Wilma, Betty,

Correct Answer: D

QUESTION 5

Which of the following is an advantage gained by using a prototype and CALLP for a program call in place of CALL and PARM operations?

A. Ability to qualify the name of the program being called

B. Ability to have the compiler validate the parameters being passed

C. Ability to use a variable to contain the name of the program to be called

D. Ability to statically bind a program object to its caller for better performance

Correct Answer: B

000-972 VCE Dumps   000-972 Practice Test   000-972 Braindumps

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.geekcert.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: