



010-151^{Q&As}

Supporting Cisco Data Center System Devices

Pass Cisco 010-151 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/010-151.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

To do a password recovery on a Cisco NX-OS Switch, which option shows the correct syntax to display the bootflash contents at the switch boot)#?

- A. display bootflash:
- B. show bootflash:
- C. dir bootflash:
- D. find bootflash:

Correct Answer: C

QUESTION 2

Which command syntax is correct to reset the admin password when the switch is in the kickstart prompt? switch boot)#

- A. exec -> admin-password
- B. connect local-mgmt -> admin-password
- C. configure terminal -> admin-password
- D. connect nxos -> admin-password
- E. admin-password

Correct Answer: C

QUESTION 3

When activating the firmware via UCSM which two firmware versions must be activated at the same time?

- A. UCS Manager and System
- B. UCS Manager and Kernel
- C. CIMC and Kernel
- D. System and Kernel

Correct Answer: D

Reference:



https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/ucs-manager/GUI-User-Guides/Firmware-Mgmt/3-1/b_UCSM_GUI_Firmware_Management_Guide_3_1/

[b_UCSM_GUI_Firmware_Management_Guide_3_1_chapter_011.html](https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/ucs-manager/GUI-User-Guides/Firmware-Mgmt/3-1/b_UCSM_GUI_Firmware_Management_Guide_3_1/b_UCSM_GUI_Firmware_Management_Guide_3_1_chapter_011.html)

QUESTION 4

Cisco UCS 5100 Blade Server Chassis supports which two devices? (Choose two.)

- A. Blade servers
- B. Fiber Extenders
- C. Rack-mount Servers
- D. S-Series Storage servers
- E. E-Series Servers

Correct Answer: AC

QUESTION 5

Which two statements are true about the Cisco UCS C4200 Rack server and UCS C125 M5 compute node? (Choose two.)

- A. 8 NVIDIA SXM2 V100 32G modules with NVLink interconnect
- B. AMD EPYC 7000 series processors, with up to 32 cores per socket
- C. 2666-MHz DDR4 memory and 24 DIMM slots for up to 3 TB of total memory
- D. Optional dual USB ports for increased storage or boot drive capacity
- E. Over 45 TB of storage, with up to six small-form-factor 2.5-inch direct-attached drives per node

Correct Answer: DE

[Latest 010-151 Dumps](#)

[010-151 Study Guide](#)

[010-151 Braindumps](#)