



010-151^{Q&As}

Supporting Cisco Data Center System Devices

Pass Cisco 010-151 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:


<https://www.geekcert.com/010-151.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Refer to the exhibit. What does it mean when item 7 (System Status LED) has a blinking red status?

- A. Major fault with the system board
- B. Power shut down by software
- C. Secure boot validation has failed
- D. Power on Self-Test (POST) failed
- E. Major fault with memory DIMM

Correct Answer: D

QUESTION 2

What enables NVM Express host software to communicate with nonvolatile memory?

- A. SATA
- B. SAS
- C. PCIe
- D. SCSI



Correct Answer: C

Reference:

https://nvmexpress.org/wp-content/uploads/NVM-Express-1_4-2019.06.10-Rati ed.pdf page 6

QUESTION 3

Which command saves the active configuration to NVRAM?

- A. copy startup-config running-config
- B. copy active-config backup-config
- C. copy running-config startup-config
- D. copy backup-config active-config

Correct Answer: C

QUESTION 4

In the Cisco UCS S3260 Storage Server which two of the below ports are available on a System I/O Controller?
(Choose two.)

- A. Dedicated Management port
- B. PCIe ports
- C. KVM Console port
- D. QSFP port
- E. Ethernet LOM port

Correct Answer: BD

QUESTION 5

Refer to the exhibit.



Which Cisco MDS chassis supports the 48-Port 16-Gbps Fibre Channel Switching Module?

- A. MDS 9509
- B. MDS 9513
- C. MDS 9710
- D. MDS 9506

Correct Answer: C

[Latest 010-151 Dumps](#)

[010-151 PDF Dumps](#)

[010-151 VCE Dumps](#)