



050-80-CASECURID01^{Q&As}

RSA SecurID Certified Administrator 8.0 Exam

Pass RSA 050-80-CASECURID01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/050-80-casecurid01.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by RSA Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

The Identity Attribute parameter is useful for

- A. Ignoring users with duplicate user names.
- B. Storing additional information in a user record.
- C. Specifying a user's LDAP CN and account password.
- D. Allowing a user to authenticate transparently among multiple domains.

Correct Answer: B

QUESTION 2

When assigning a user a Temporary Fixed Tokencode to replace a lost token, what is the default value for the expiration period of that Tokencode?

- A. 24 hours
- B. 5 days
- C. 14 days
- D. 30 days

Correct Answer: C

QUESTION 3

Token expiration dates:

- A. Appear on the token display thirty days prior to expiration.
- B. Are programmed into a token record at the time of manufacture.
- C. Vary according to the date set by the administrator when assigning the token.
- D. Depend on the clock in the Authentication Agent to determine if the token is active.

Correct Answer: B

QUESTION 4



Which statements concerning RSA SecurID time-synchronous authentication are true? (Choose two)

- A. On-demand codes have a 5-minute synchronization window.
- B. Token expiration dates are based on the date of the token's first use.
- C. Calculation of a tokencode involves the use of Universal Coordinated Time.
- D. An administrator can configure the tokencode change interval on an RSA SecurID token.
- E. Tokencode calculations are performed by both the RSA Authentication Manager instance and RSA SecurID tokens.

Correct Answer: CE

QUESTION 5

RSA SecurID tokens are initially supplied with matching token records. After tokens are assigned, deployed and used by end-users, what information might be overwritten if the original token records are re-imported into the RSA Authentication Manager database? (Choose two)

- A. user assignment
- B. tokencode values
- C. Authentication Agent usage
- D. token time offset information
- E. system PIN parameter settings

Correct Answer: AD

[Latest
050-80-CASECURID01
Dumps](#)

[050-80-CASECURID01
VCE Dumps](#)

[050-80-CASECURID01
Exam Questions](#)