100-105^{Q&As}

Interconnecting Cisco Networking Devices Part 1 (ICND1)

Pass Cisco 100-105 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/100-105.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

365 Days Free Update

800,000+ Satisfied Customers

QUESTION 1

Refer to the exhibit.

Neighbor_ID	Pri	State	Dead Time	Address	Interface
AAA.AAA.AA.AAA	1	Full/DR	00:00:33	190.172.32.10	Ethernet1
AAA.AAA.AA.BB	1	Full/BDR	00:00:33	190.172.32.10	Ethernet0
AAA.AAA.AA.CCC	1	Full/DR	00:00:39	190.172.32.10	Ethernet0

Why are two OSPF designated routers identified on Core-Router?

A. Core-Router is connected to more than one multi-access network.

B. The router at 208.149.23.130 is a secondary DR in case the primary fails.

C. Two router IDs have the same OSPF priority and are therefore tied for DR election

D. The DR election is still underway and there are two contenders for the role.

Correct Answer: A

OSPF elects one DR per multi-access network. In the exhibit there are two DR so there must have more than one multi-access network.

QUESTION 2

Which command is used to build DHCP pool?

A. ip dhcp conflict

B. ip dhcp-server pool DHCP

C. ip dhcp pool DHCP

D. ip dhcp-client pool DHCP

Correct Answer: C

QUESTION 3

Which value is calculated by the sender and receiver of a frame to determine whether the frame has been damaged in transit?

A. the runt value

B. the CRC value

C. the giant value

D. the collision value

Correct Answer: B

QUESTION 4

A router is deployed with the default factory settings. If a user on the router mistypes a command, which option is the result?

A. The router immediately returns an error message.

B. The router recognizes the mistake and discards the request.

C. The router autocorrects the mistyped command.

D. The router attempts to resolve the command to an IP address.

E. The router disables DNS lookup.

Correct Answer: D

QUESTION 5

DRAG DROP

Drag and drop the Ethernet types from the left onto the correct service descriptions on the right.

Select and Place:

Ethernet types	Service descriptions
100Base-FX	provides 100 Mbps over copper segments up to 100 100 meters long
100Base-TX	provides 100 Mbps over fiber segments up to 412 meters long
1000Base-LX	provides 10 Gbps over copper segments up to 100 meters long
1000Base-SX	provides 1 Gbps over fiber segments up to 550 meters long
1000Base-T	provides 1 Gbps over fiber segments up to 10 kilometers long
10GBase-T	provides 1 Gbps over copper segments up to 100 meters long

Correct Answer:

	100Base-TX
	100Base-FX
	10GBase-T
	1000Base-SX
	1000Base-LX
	1000Base-T

Latest 100-105 Dumps   100-105 PDF Dumps   100-105 Practice Test

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.geekcert.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: