



100-490^{Q&As}

Supporting Cisco Routing & Switching Network Devices

Pass Cisco 100-490 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/100-490.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which two pairs of LAN Ethernet devices use an RJ-45 straight-through cable? (Choose two.)

- A. switch-to-switch
- B. switch-to-router
- C. switch-to-hub
- D. router-to-router
- E. switch-to-server

Correct Answer: BE

QUESTION 2

What does Cisco use for Return Materials Authorization tracking of field-replaceable parts?

- A. product number
- B. serial number
- C. RMA number
- D. FRU number

Correct Answer: C

QUESTION 3

Which layer of the OSI model defines how data is formatted for transmission and how access to the physical media is controlled?

- A. presentation
- B. data link
- C. network
- D. transport

Correct Answer: B

Reference: <https://itcertzone.wordpress.com/2011/01/24/the-seven-layers-of-the-osi-model/#:~:text=Layer%20%3A%20The%20Data%20Link,reliable%20delivery%20of%20the%20data.>

QUESTION 4



Which router port is used for dial-in access to the router for CLI management purposes and does not usually pass normal network traffic?

- A. Fast Ethernet
- B. channelized serial
- C. AUX
- D. Gigabit Ethernet

Correct Answer: C

QUESTION 5

Which two statements about a SmartJack are true? (Choose two.)

- A. It provides signal conversion.
- B. It acts as a concentration point for dial-in and dial-out connections.
- C. It operates at Layer 2 of the OSI model.
- D. It provides channel testing.
- E. It regenerates the signal to compensate for signal degradation from line transmission.

Correct Answer: AE

[Latest 100-490 Dumps](#)

[100-490 Practice Test](#)

[100-490 Braindumps](#)