



101-01^{Q&As}

Riverbed Certified Solutions Associate

Pass Riverbed 101-01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/101-01.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Riverbed
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Using an Interceptor appliance is an alternative to what network designs? (Select 2)

- A. WCCP
- B. PBR
- C. Connection Forwarding
- D. Fixed-target rules
- E. Peering rules

Correct Answer: AB

QUESTION 2

Automatic registration of devices with the SteelCentral Controller for SteelHead (SCC) requires which one of the following?

- A. RiOS 8.0 for SteelHead and 4.0 for Interceptor
- B. The SCC must have joined the Windows domain
- C. Pre-trusted SSL certificates on the devices and SCC
- D. The serial number of the managed device to be preconfigured in the SCC
- E. The name "riverbedcmc" to be an entry in DNS resolving to the SCC primary IP address

Correct Answer: E

See last paragraph below.

To use automatic registration, prepare the appliance for registration with the SCC by entering the IP address or DNS-registered hostname of the SCC when you run the configuration wizard on the appliance. Riverbed recommends that you set up your DNS servers to resolve riverbedcmc to the primary interface IP address of your SCC. If you configure your DHCP servers to forward the correct DNS settings, any appliance added into the network and powered on should automatically register with the SCC. Alternatively, you can use the `cmc enable` and `cmc hostname` commands. If you do not change the default hostname, it remains riverbedcmc.

References: SteelCentral Controller for SteelHead Deployment Guide, May 2016, page 14 <https://support.riverbed.com/bin/support/download?did=mcmq1o68fbs27lqc5798c4p8m6>

QUESTION 3

What Steelhead appliance interface must be connected in order to peer with the Interceptor appliance for optimization?

- A. Primary



- B. WAN
- C. LAN
- D. AUX
- E. Console

Correct Answer: B

QUESTION 4

What licenses are installed with a Steelhead appliance when purchased? (Select 3)

- A. Scalable Data Referencing (SDR)
- B. Windows File Servers
- C. SSL
- D. Sybase database applications
- E. Microsoft Exchange

Correct Answer: ABE

QUESTION 5

Which of the following Steelhead appliance models support redundant power supplies? (Select 2)

- A. 250
- B. 1221
- C. 2012
- D. 2050
- E. 5050

Correct Answer: DE

[101-01 Practice Test](#)

[101-01 Study Guide](#)

[101-01 Braindumps](#)