



# 101-01<sup>Q&As</sup>

Riverbed Certified Solutions Associate

## Pass Riverbed 101-01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/101-01.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Riverbed  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

True or False? SteelHead SaaS can provide Netflow and SteelFlow to other Riverbed products to monitor and troubleshoot SaaS performance issues.

- A. True
- B. False

Correct Answer: A

\*

NetFlow is supported. To enable NetFlow on the Riverbed Steelhead appliance running RiOS v5.5.1 or RiOS v5.5.3, navigate to the Configure, Networking, NetFlow page and set the configuration.

\*

All SteelHead appliances can send SteelFlow data to SteelCentral NetProfiler (free of charge): SteelFlow is a Riverbed-specific version of NetFlow that provides visibility into SteelHead QoS, response time, WAN optimization reporting, application visibility, and so on

\*

Late last year [2014] Riverbed enabled deep integration between SteelHead and SteelCentral AppResponse.

AppResponse lets you monitor the end-user experience for SteelHead-optimized web and SaaS applications.

References: <http://www.riverbednews.com/2015/07/detect-fix-and-relax-with-steelhead- and-steelcentral/>

---

### QUESTION 2

It is possible to backup your RSP slots using. (Select 2)

- A. ftp
- B. http
- C. scp
- D. https
- E. tftp

Correct Answer: AC

---



### QUESTION 3

Log messages in the Steelhead appliance Management Console such as "error=SMB\_SHUTDOWN\_ERR\_SEC\_SIG\_ENABLED" are an indication of what condition?

- A. The Steelhead appliance has entered admission control
- B. The Steelhead appliance has detected an asymmetric network
- C. The Steelhead appliance is configured with the incorrect speed or duplex on the Primary interface
- D. The Steelhead appliance is configured with the incorrect speed or duplex on the in-path interfaces
- E. The Steelhead appliance is configured in "Tunnel Mode"
- F. The Steelhead appliance has detected Windows Server Message Block (SMB) signing

Correct Answer: F

---

### QUESTION 4

Which of the following platforms provide support for HighSpeed TCP?

- A. All Steelhead modules designed for large offices
- B. All models except the desktop units
- C. All appliance models
- D. Only the mid-size office
- E. Only really big appliances 80lbs or greater

Correct Answer: C

---

### QUESTION 5

Which two parameters are required when configuring a fixed-target rule?

- A. The target IP address and subnet mask of the target Steelhead appliance
- B. The TCP option number for auto-discovery
- C. The target Steelhead appliance and destination port number
- D. The source IP address and source port number of the client traffic

Correct Answer: C

---



VCE & PDF

GeekCert.com

<https://www.geekcert.com/101-01.html>

2024 Latest geekcert 101-01 PDF and VCE dumps Download

---

[Latest 101-01 Dumps](#)

[101-01 PDF Dumps](#)

[101-01 Braindumps](#)