

101-01^{Q&As}

Riverbed Certified Solutions Associate

Pass Riverbed 101-01 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/101-01.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Riverbed Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.geekcert.com/101-01.html 2024 Latest geekcert 101-01 PDF and VCE dumps Download

QUESTION 1

Clients	connect to	which	interface	on the	SteelCentral	Controller for	SteelHead Mobile?
Clicito	COITING CL LO	WITHOLL	interiace i	UII III C	SteelCelitial	COLLIGIE	Steeli lead Mobile:

- A. Primary or aux
- B. Primary only
- C. Inpath0_0 only
- D. Aux only

Correct Answer: C

The InPath0 0 interface is used for optimized data transmission. It is used for client connect

Incorrect:

not A, not B: The primary interface is used for system management, RiOS data store synchronization, and

SNMP.

Not D: In addition to using the primary interface, you can also use the auxiliary (AUX) interface for

management.

References: Steelhead Appliance Deployment Guide, Including the Steelhead Mobile Controller, December 2013, page 175 https://support.riverbed.com/bin/support/download?did=a53locljdv9s5oc0agjp851iol

QUESTION 2

What does the Transport Streamlining module in RiOS do? (Select 2)

- A. Reduces transport protocol inefficiencies
- B. Prioritizes application traffic
- C. Virtually expands TCP windows
- D. Reduces WAN round trips at the application layer

Correct Answer: AC

QUESTION 3

When implementing datastore synchronization, a master and backup Steelhead appliance:

1.

Must be within 10 ms of latency between the synchronizing Steelhead appliances

VCE & PDF GeekCert.com

https://www.geekcert.com/101-01.html

2024 Latest geekcert 101-01 PDF and VCE dumps Download

2.

Must have the same datastore size

3.

Must be running the same major version RiOS software

4.

Must have the same hostname

A. 1, 2, and 3

B. 2 and 3

C. 2, 3, and 4

D. 3 and 4

E. 1, 2, 3, and 4

Correct Answer: A

QUESTION 4

Which two parameters are required when configuring a fixed-target rule?

- A. The target IP address and subnet mask of the target Steelhead appliance
- B. The TCP option number for auto-discovery
- C. The target Steelhead appliance and destination port number
- D. The source IP address and source port number of the client traffic

Correct Answer: C

QUESTION 5

The Steelhead Mobile client is supported on the following client platforms: (Select 3)

- A. Windows 2000
- B. PDA
- C. Windows XP
- D. Vista-32
- E. Linux

Correct Answer: ACD



https://www.geekcert.com/101-01.html 2024 Latest geekcert 101-01 PDF and VCE dumps Download

101-01 PDF Dumps

101-01 Study Guide

101-01 Exam Questions