



101^{Q&As}

Application Delivery Fundamentals

Pass F5 101 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/101.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by F5 Official
Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which three properties can be assigned to nodes? (Choose three.)

- A. ratio values
- B. priority values
- C. health monitors
- D. connection limits
- E. load balancing mode

Correct Answer: ACD

QUESTION 2

A virtual server is listening at 10.10.1.100:any and has the following iRule associated with it:

```
when CLIENT_ACCEPTED { if {[TCP::local_port] equals 21 } { pool  
ftppool } elseif {[TCP::local_port] equals 23 } { pool telnetpool }
```

If a user connects to 10.10.1.100 and port 22, which pool will receive the request?

- A. ftp pool
- B. telnet pool
- C. None. The request will be dropped.
- D. Unknown. The pool cannot be determined from the information provided.

Correct Answer: D

QUESTION 3

Client A from the 192. 162. 168.0. 0 /24 network wants to send a Ping to Client B on 10.10.10..0/24. The Default Gateway from Client A IS 192.168.0. 1 The MAC Address of Client A is 00 11. 11. 11. 11 The MAC Address of client B is 00.22 22.22.22 The MAC Address of Default Gateway is 00. 33.33. 33. 33

What is the destination MAC Address of the ping packet when it leaves client A interface card?

- A. 00. 11. 11. 11. 11
- B. f1. f1. f1. f1. f1
- C. 00.33. 33. 33. 33



D. 00. 22. 22. 22. 22

Correct Answer: C

QUESTION 4

Which statement describes a typical purpose of iRules?

- A. iRules can be used to add individual control characters to an HTTP data stream.
- B. iRules can be used to update the timers on monitors as a server load changes.
- C. iRules can examine a server response and remove it from a pool if the response is unexpected
- D. iRules can be used to look at client requests and server responses to choose a pool member to select for load balancing.

Correct Answer: A

QUESTION 5

A BIG-IP Administrator has a cluster of devices.

What should the administrator do after creating a new Virtual Server on device 1?

- A. synchronize the settings of device 1 to the group
- B. create a new cluster on device 1
- C. create the new virtual server on device 2
- D. synchronize the settings of the group to device 1

Correct Answer: A

[Latest 101 Dumps](#)

[101 VCE Dumps](#)

[101 Study Guide](#)