



117-202^{Q&As}

LPI Level 2 Exam 202

Pass home 117-202 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/117-202.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by home
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

If the command `arp -f` is run, which file will be read by default?

- A. `/etc/hosts`
- B. `/etc/ethers`
- C. `/etc/arp.conf`
- D. `/etc/networks`
- E. `/var/cache/arp`

Correct Answer: B

QUESTION 2

Consider the following `/srv/www/default/html/restricted/.htaccess` `AuthType Basic AuthUserFile /srv/www/security/site-passwd AuthName Restricted Require valid-user Order deny,allow Deny from all Allow from 10.1.2.0/24 Satisfy any`

Considering that `DocumentRoot` is set to `/srv/www/default/html`, which TWO of the following sentences are true?

- A. Apache will only grant access to `http://server/restricted/` to authenticated users connecting from clients in the `10.1.2.0/24` network
- B. This setup will only work if the directory `/srv/www/default/html/restricted/` is configured with `AllowOverride AuthConfig Limit`
- C. Apache will require authentication for every client requesting connections to `http://server/restricted/`
- D. Users connecting from clients in the `10.1.2.0/24` network won't need to authenticate themselves to access `http://server/restricted/`
- E. The `Satisfy` directive could be removed without changing Apache behavior for this directory

Correct Answer: BD

QUESTION 3

The following is an excerpt from the output of `tcpdump -nli eth1 '\udp\':`

```
13:03:17.277327 IP 192.168.123.5.1065 > 192.168.5.112.53: 43653+ A? lpi.org. (25) 13:03:17.598624 IP  
192.168.5.112.53 > 192.168.123.5.1065: 43653 1/0/0 A 24.215.7.109 (41)
```

Which network service or protocol was used?

- A. FTP



- B. HTTP
- C. SSH
- D. DNS
- E. DHCP

Correct Answer: D

QUESTION 4

After setting up Apache to run inside a chroot jail as a non-root user, httpd no longer starts. What is the primary cause of the problem?

- A. Apache needs to start as root to bind to port 80
- B. Apache cannot read the main index.html file because it was not moved into the chroot environment
- C. A LoadModule line for mod_chroot needs to be added to httpd.conf
- D. Apache requires a VirtualHost directive when running from a chroot environment
- E. The mod_chroot configuration needs the absolute path to the chroot environment

Correct Answer: A

QUESTION 5

Which setting in the Courier IMAP configuration file will tell the IMAP daemon to listen only on the localhost interface?

- A. ADDRESS=127.0.0.1
- B. Listen 127.0.0.1
- C. INTERFACE=127.0.0.1
- D. LOCALHOST_ONLY=1

Correct Answer: A