



117-300^{Q&As}

LPI Level 3 Exam 300, Senior Level Linux Certification, Mixed Environment

Pass Lpi 117-300 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/117-300.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which of the following statements are true regarding NetBIOS names? (Select TWO correct answers.)

- A. NETBIOS names can use only alphanumeric characters.
- B. You can use a `\\.\` in a NETBIOS name.
- C. You can use an `_\` (underscore) in a NETBIOS name.
- D. NETBIOS names must be UPPERCASE
- E. NETBIOS names can be a maximum of 32 characters

Correct Answer: BC

QUESTION 2

Which directive in the `smb.conf` of a Samba 4 Active Directory Domain Controller specifies the name of the Active Directory Domain? (Specify only the option without any values or parameters)

Correct Answer: realm

QUESTION 3

Sending a message of type _____ to a Samba daemon using `smbcontrol` changes the daemon's debug level. (Only specify the name of the message type without command or options)

Correct Answer: debug

QUESTION 4

An administrator has manually migrated local accounts to OpenLDAP, instead of using migration tools. When trying to authenticate as a user, an error is returned about invalid credentials. What is the most likely cause of this?

- A. The password hash type was not included in the user's password attribute.
- B. Shadow passwords are incompatible with OpenLDAP.
- C. The original password from `/etc/passwd` was not included.
- D. The administrator forgot to run `slappasswd` to convert the hashes in `/etc/shadow`.
- E. The administrator forgot to run `ldappasswd` to convert the hashes in `/etc/shadow`.

Correct Answer: A



QUESTION 5

Which of the following commands executes a recursive download of the src share located in a Samba server named SOURCES, assuming that this server allows anonymous users?

- A. smbget -R smb. //sources/src
- B. wget -R smb. //sources/src
- C. curl -R cifs: //sources/src
- D. smbmirror //sources/src

Correct Answer: A

[Latest 117-300 Dumps](#)

[117-300 PDF Dumps](#)

[117-300 Exam Questions](#)