



# 132-S-900.7<sup>Q&As</sup>

Avaya IP Telephony Design Elective Exam

**Pass Avaya 132-S-900.7 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/132-s-900-7.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

A customer deploys a private VoIP network to several small sites. They have a combination of Avaya IP softphone and Avaya IP phones. Bandwidth and latency are not of concern. A firewall is installed at the corporate office to protect corporate resources. What port(s) need to be opened in the firewall at the home office to allow the remote IP endpoints voice communications (audio paths) with MultiVantage?

- A. TCP 1720
- B. UDP 1719
- C. UDP 1900-2100
- D. UDP port range on IP Network Region form

Correct Answer: D

---

### QUESTION 2

Your client's department store business has 24 locations worldwide. Each location has its own communications switch and is included in a QSIG network. The stores have standardized on specific extension numbers representing departments. The client is considering moving to a single, distributed S87xx system but is concerned with the loss of dial plan functionalities. Which three common platform-wide issues must be addressed? (Choose three.)

- A. "0" local attendant access
- B. identical names-group members in use in all stores
- C. identical department extension numbers in use in all stores
- D. same announcement extension numbers in use in all stores

Correct Answer: ACD

---

### QUESTION 3

A customer has two sites connected over a 512k serial WAN link. There are 40 employees at the main site and 20 employees at the remote site. Since the server bank and all trunks terminate at the main location, the customer has concerns about the bandwidth over the WAN link. They request a network assessment. Which two design considerations are pertinent to the bandwidth on the WAN link? (Choose two.)

- A. VLAN capable Ethernet switch
- B. telecommuters using IP Softphone to access network resources
- C. number of voice calls going through the WAN link during peak time
- D. graphic-based programs used on the network between the two sites

Correct Answer: CD

---



#### QUESTION 4

The S87xx platform is available as a net new system in which configuration?

- A. Voice Bearer over ATM
- B. Stand Alone (S87xx only)
- C. Traditional G3R without IP
- D. Voice Bearer over IP (IP Connect)

Correct Answer: D

---

#### QUESTION 5

A customer has an existing carrier-based VPN and wants to run voice traffic over it. Which two are required to ensure voice quality and security? (Choose two.)

- A. IPsec with either L2TP or PPTP
- B. guaranteed end-to-end level of service
- C. changing transport from ATM to MPLS
- D. setting up encrypted channels over the Internet

Correct Answer: AB

[132-S-900.7 PDF Dumps](#)

[132-S-900.7 VCE Dumps](#)

[132-S-900.7 Brindumps](#)