



156-115.77^{Q&As}

Check Point Certified Security Master

Pass CheckPoint 156-115.77 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/156-115-77.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CheckPoint Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which of the following commands shows the high watermark threshold for triggering the cluster under load mechanism in R77?

- A. fw ctl get int fwha_cul_mechanism_enable
- B. fw ctl get int fwha_cul_cluster_short_timeout
- C. fw ctl get int fwha_cul_member_cpu_load_limit
- D. fw ctl get int fwha_cul_policy_freeze_event_timeout_millisec

Correct Answer: C

QUESTION 2

Which file should be edited to modify ClusterXL VIP Hide NAT rules, and where?

- A. \$FWDIR/lib/base.def on the cluster members
- B. \$FWDIR/lib/table.def on the SMC
- C. \$FWDIR/lib/table.def on the cluster members
- D. \$FWDIR/lib/base.def on the SMC

Correct Answer: B

QUESTION 3

Your company has recently decided to allow remote access for clients. You find that no one is able to connect, although you are confident that your rule set and remote access community has been defined correctly. What is the most likely cause, based on the options below? You have the following debug file: A. RDP is being blocked upstream.



```
[vpnd 3885 1982683808]@FW_1[17 Nov 15:07:09] TCPtPb[0x01::NewIncomingConnection
: New incoming connection: 68, tunnel: 92 peer: 172.26.247.20
[vpnd 3885 1982683808]@FW_1[17 Nov 15:07:09] IkeTcptDataHandler: Recieved 320 by
tes on tunnel 92 for connecton 68 (peer: 172.26.247.20)
[vpnd 3885 1982683808]@FW_1[17 Nov 15:07:09] TCPTConnection::HandleIncomingData:
Received 320 bytes on TCPT Connection 68 (peer: 172.26.247.20, tunnel: 92)
[vpnd 3885 1982683808]@FW_1[17 Nov 15:07:09] fwisakmpd_process_incoming_data: Re
cieved TCPT packet from 172.26.247.20 (port: 0) len: 320
[vpnd 3885 1982683808]@FW_1[17 Nov 15:07:09] GetEntryIsakmpObjectsHash: received
ipaddr: 14f71aac as key, found fwobj: NULL
[vpnd 3885 1982683808]@FW_1[17 Nov 15:07:09] getConfiguredIkeVersion: RA configu
red to use ikev2 only (peer: 172.26.247.20).
[vpnd 3885 1982683808]@FW_1[17 Nov 15:07:09] Message::Message: New incoming requ
est from original responder with message id 0
[vpnd 3885 1982683808]@FW_1[17 Nov 15:07:09] Message::Message: i-spi: 28ae2ef1dd
98272e, r-spi: 0000000000000000, next: 1, version: 16, ex type: 2, flags: 0 (enc
[vpnd 3885 1982683808]@FW_1[17 Nov 15:07:09] fwisakmpd_process_incoming_data: re
ceived a packet of an unsupported ike version for peer 172.26.247.20 (packet ver
sion: ikev1, configured version: ikev2)
```

©2014 Check Point Software Technologies Ltd.

11

B. You have selected IKEv2 only in Global Properties > Remote Access > VPN Authentication and Encryption.

C. Remote access clients are all behind NAT devices.

D. Implied rule is not set to accept control connections.

Correct Answer: B

QUESTION 4

A fwm debug provides the following output. What prevents the customer from logging into SmartDashboard?

```
[FW 3103 1951651808]@manager [2 Aug 23:03:17] fwasync.conn.get: get max buffer size (1048576) .
[FW 3103 1951651808]@manager [2 Aug 23:03:17] sic.server.set.sic.type.str: 61 security type is cpmi.
[FW 3103 1951651808]@manager [2 Aug 23:03:17] policy.query: src : cn=cp.mgmt,o=srv.mgmt..f2kd3i dst : CN=gui_client
[FW 3103 1951651808]@manager [2 Aug 23:03:17] gui.connection.sic.plugin: gui client sic name on connection 61.
[FW 3103 1951651808]@manager [2 Aug 23:03:17] call_handlers_list: conversion success.
[FW 3103 1951651808]@manager [2 Aug 23:03:17] PM.session.init: given session I(cn=cp.mgmt,o=srv.mgmt..f2kd3i:IP=192.168.220.113,CN=Gui_Client:18190:cpmi).
[FW 3103 1951651808]@manager [2 Aug 23:03:17] PM.policy.query: input session I(cn=cp.mgmt,o=srv.mgmt..f2kd3i:IP=192.168.220.113,CN=Gui_Client:18190:cpmi).
[FW 3103 1951651808]@manager [2 Aug 23:03:17] Fwnetobj_getbysicname: table_chosen_get_with_param(ETABLE_NETWORK_OBJECTS, is_obj_sic_name, IP=192.168.220.113,CN=Gui_Client)
returned NULL.
[FW 3103 1951651808]@manager [2 Aug 23:03:17] Fwnetobj_getbysicname: table_chosen_get_with_param(ETABLE_NETWORK_OBJECTS, is_obj_sic_name, IP=192.168.220.113,CN=Gui_Client)
returned NULL.
[FW 3103 1951651808]@manager [2 Aug 23:03:17] Fwnetobj_getbysicname: table_chosen_get_with_param(ETABLE_NETWORK_OBJECTS, is_obj_sic_name, IP=192.168.220.113,CN=Gui_Client)
returned NULL.
[FW 3103 1951651808]@manager [2 Aug 23:03:17] Fwnetobj_getbysicname: table_chosen_get_with_param(ETABLE_NETWORK_OBJECTS, is_obj_sic_name, IP=192.168.220.113,CN=Gui_Client)
returned NULL.
[FW 3103 1951651808]@manager [2 Aug 23:03:17] sicobj_resolve_by_opsec: No object found with SIC name 'IP=192.168.220.113,CN=Gui_Client'
[FW 3103 1951651808]@manager [2 Aug 23:03:17] Fwnetobj_getbysicname: table_chosen_get_with_param(ETABLE_NETWORK_OBJECTS, is_obj_sic_name, IP=192.168.220.113,CN=Gui_Client)
returned NULL.
[FW 3103 1951651808]@manager [2 Aug 23:03:17] Fwnetobj_getbysicname: table_chosen_get_with_param(ETABLE_NETWORK_OBJECTS, is_obj_sic_name, IP=192.168.220.113,CN=Gui_Client)
returned NULL.
[FW 3103 1951651808]@manager [2 Aug 23:03:17] Fwnetobj_getbysicname: table_chosen_get_with_param(ETABLE_NETWORK_OBJECTS, is_obj_sic_name, IP=192.168.220.113,CN=Gui_Client)
returned NULL.
[FW 3103 1951651808]@manager [2 Aug 23:03:17] Fwnetobj_getbysicname: table_chosen_get_with_param(ETABLE_NETWORK_OBJECTS, is_obj_sic_name, IP=192.168.220.113,CN=Gui_Client)
returned NULL.
[FW 3103 1951651808]@manager [2 Aug 23:03:17] Fwnetobj_getbysicname: table_chosen_get_with_param(ETABLE_NETWORK_OBJECTS, is_obj_sic_name, IP=192.168.220.113,CN=Gui_Client)
returned NULL.
[FW 3103 1951651808]@manager [2 Aug 23:03:17] Fwnetobj_getbysicname: table_chosen_get_with_param(ETABLE_NETWORK_OBJECTS, is_obj_sic_name, IP=192.168.220.113,CN=Gui_Client)
returned NULL.
[FW 3103 1951651808]@manager [2 Aug 23:03:17] PM.policy.query: rule not found.
[FW 3103 1951651808]@manager [2 Aug 23:03:17] PM.policy.query: finished successfully. 1st method = deny
[FW 3103 1951651808]@manager [2 Aug 23:03:17] fwasync.conn.get: get max buffer size (1048576) .
```

©2014 Check Point Software Technologies Ltd.

3



- A. There are not any policy to login in SmartDashboard
- B. FWM process is crashed and returned null to access
- C. User and password are incorrect
- D. IP not defined in \$FWDIR/conf/gui-clients

Correct Answer: D

QUESTION 5

Which feature is not supported with unnumbered VTI?

- A. Proxy interfaces
- B. High availability
- C. Policy based routing
- D. Anti-spoofing

Correct Answer: D

[Latest 156-115.77 Dumps](#)

[156-115.77 VCE Dumps](#)

[156-115.77 Exam Questions](#)