



# 156-115.80<sup>Q&As</sup>

Check Point Certified Security Master - R80

## Pass CheckPoint 156-115.80 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/156-115-80.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by CheckPoint Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

If cluster members are geographically separated and the time to detect a failover needs to be longer, what timer needs to be adjusted?

- A. fwha\_timer\_cpha\_res
- B. fwha\_timer\_dist\_res
- C. fwha\_geosync\_timer
- D. fwha\_timer\_sync\_res

Correct Answer: A

Reference: [https://sc1.checkpoint.com/documents/R76/CP\\_R76\\_ClusterXL\\_AdminGuide/7298.htm](https://sc1.checkpoint.com/documents/R76/CP_R76_ClusterXL_AdminGuide/7298.htm)

---

### QUESTION 2

Where do Protocol parsers register themselves for IPS?

- A. Passive Streaming Library
- B. Other handlers register to Protocol parser
- C. Protections database
- D. Context Management Infrastructure

Correct Answer: A

Reference: [http://www.nwtechusa.com/pdf/checkpoint\\_blade\\_ips.pdf](http://www.nwtechusa.com/pdf/checkpoint_blade_ips.pdf)

---

### QUESTION 3

For organizations with existing IPv4 networks who wish to move to IPv6, which of the following is a Transition Mechanism that can be used?

- A. ipv4 to ipv6 Triple Stack
- B. Hex to Dec translation
- C. 6 in 4 Tunneling
- D. NAT-T to NAT6sec

Correct Answer: C

---

### QUESTION 4



The security administrator wants to verify if a specific connection is being handling by SecureXL. What command below is used to verify this information?

- A. fwaccel conns
- B. fwaccel stat
- C. cpview
- D. fw tab -t connections -f | grep

Correct Answer: A

---

#### QUESTION 5

What effect would change the parameter of fwaha\_timer\_cpha\_res to 5 have on a cluster?

- A. Change the cluster interface active check to 5 milliseconds
- B. Change the cphad to send test packets every 5 milliseconds
- C. Change the sync network timeout to 5 seconds
- D. Change the failover delay timeout to 500 milliseconds

Correct Answer: D

Reference: [https://sc1.checkpoint.com/documents/R76/CP\\_R76\\_ClusterXL\\_AdminGuide/7298.htm](https://sc1.checkpoint.com/documents/R76/CP_R76_ClusterXL_AdminGuide/7298.htm)

[156-115.80 Practice Test](#)

[156-115.80 Study Guide](#)

[156-115.80 Braindumps](#)