



156-215.75^{Q&As}

Check Point Certified Security Administrator

Pass CheckPoint 156-215.75 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/156-215-75.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CheckPoint Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

The customer has a small Check Point installation which includes one Windows 7 workstation as the SmartConsole, one Solaris server working as Security Management Server, and a third server running SecurePlatform as Security Gateway. This is an example of a(n):

- A. Unsupported configuration
- B. Stand-Alone Installation
- C. Hybrid Installation
- D. Distributed Installation

Correct Answer: D

QUESTION 2

Several Security Policies can be used for different installation targets. The firewall protecting Human Resources\ servers should have a unique Policy Package. These rules may only be installed on this machine and not accidentally on the Internet firewall. How can this be configured?

- A. A Rule Base is always installed on all possible targets. The rules to be installed on a firewall are defined by the selection in the row Install On of the Rule Base.
- B. When selecting the correct firewall in each line of the row Install On of the Rule Base, only this firewall is shown in the list of possible installation targets after selecting Policy > Install.
- C. In the SmartDashboard main menu go to Policy / Policy Installation / Targets and select the correct firewall to be put into the list via Specific Targets.
- D. A Rule Base can always be installed on any Check Point firewall object It is necessary to select the appropriate target directly after selecting Policy > Install.

Correct Answer: C

QUESTION 3

You enable Automatic Static NAT on an internal host node object with a private IP address of 10.10.10.5, which is NATed into 216.216.216.5. (You use the default settings in Global Properties / NAT.)

When you run fw monitor on the R75 Security Gateway and then start a new HTTP connection from host

10.10.10.5 to browse the Internet, at what point in the monitor output will you observe the HTTP SYN-ACK packet translated from 216.216.216.5 back into 10.10.10.5?

- A. i=inbound kernel, before the virtual machine
- B. O=outbound kernel, after the virtual machine
- C. o=outbound kernel, before the virtual machine



D. I=inbound kernel, after the virtual machine

Correct Answer: D

QUESTION 4

There are three options available for configuring a firewall policy on the SecureClient Mobile device. Which of the following is NOT an option?

- A. Configured on endpoint client
- B. No
- C. Configured on server
- D. yes

Correct Answer: C

QUESTION 5

You are the Security Administrator in a large company called ABC. A Check Point Firewall is installed and in use on SecurePlatform. You are concerned that the system might not be retaining your entries for the interfaces and routing configuration. You would like to verify your entries in the corresponding file(s) on SecurePlatform. Where can you view them? Give the BEST answer.

- A. /etc/conf/route.C
- B. /etc/sysconfig/netconf.C
- C. /etc/sysconfig/network-scripts/ifcfg-ethx
- D. /etc/sysconfig/network

Correct Answer: B

[156-215.75 Practice Test](#)

[156-215.75 Study Guide](#)

[156-215.75 Exam Questions](#)