



# 156-315.77<sup>Q&As</sup>

Check Point Certified Security Expert

## Pass CheckPoint 156-315.77 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/156-315-77.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by CheckPoint Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which statement is TRUE for route-based VPN's?

- A. Route-based VPN's replace domain-based VPN's.
- B. Route-based VPN's are a form of partial overlap VPN Domain.
- C. Dynamic-routing protocols are not required.
- D. IP Pool NAT must be configured on each Gateway.

Correct Answer: C

### QUESTION 2

Using the output below, why is the QoS rule not limiting the internal users to 2000 Bps of GNUtella traffic?

NAME	SOURCE	DESTINATION	SERVICE	ACTION	TRACK	INSTALL ON
GNUtella	Internal-net-group	* Any	TCP GNUtella_TCP	Weight 5 Guarantee 2000 Bps	- None	* All
Default	* Any	* Any	* Any	Weight 10	- None	* All

- A. Rule Guarantee needs to be changed to Rule Limit
- B. Rule Weight needs to be changed to 10
- C. The Source and Destination columns need to be reversed
- D. Encrypted traffic needs to be added to the Action field

Correct Answer: A

### QUESTION 3

In R71, how would you define a rule to block all traffic sent to or from Germany?

- A. This action is not possible.
- B. Create a policy rule with destination being a custom dynamic object representing Germany and action block. You must also create a rule in the opposite direction.
- C. Create a country specific policy within IPS Geo Protections with Germany as the country, block as the action, and from and to country for direction.
- D. Go to Policy / Global Properties / Geographical Protection Enforcement and add Germany to the blocked countries list.



Correct Answer: C

---

#### QUESTION 4

You are troubleshooting a HTTP connection problem. You've started fw monitor -o http.pcap. When you open http.cap with Wireshark there is only one line. What is the most likely reason?

- A. fw monitor was restricted to the wrong interface.
- B. Like SmartView Tracker only the first packet of a connection will be captured by fw monitor.
- C. By default only SYN packets are captured.
- D. Acceleration was turned on and therefore fw monitor sees only SYN.

Correct Answer: D

---

#### QUESTION 5

Greg is creating rules and objects to control VoIP traffic in his organization, through a VPN-1 NGX Security Gateway. Greg creates VoIP Domain SIP objects to represent each of his organization's three SIP gateways. Greg then creates a simple group to contain the VoIP Domain SIP objects. When Greg attempts to add the VoIP Domain SIP objects to the group, they are not listed. What is the problem?

- A. The related end points domain specifies an address range.
- B. VoIP Domain SIP objects cannot be placed in simple groups.
- C. The installed VoIP gateways specify host objects.
- D. The VoIP gateway object must be added to the group, before the VoIP Domain SIP object is eligible to be added to the group.
- E. The VoIP Domain SIP object's name contains restricted characters.

Correct Answer: B

[156-315.77 PDF Dumps](#)

[156-315.77 Exam Questions](#)

[156-315.77 Braindumps](#)