



156-315.80^{Q&As}

Check Point Certified Security Expert (CCSE) R80

Pass CheckPoint 156-315.80 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/156-315-80.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CheckPoint Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Fill in the blank: A new license should be generated and installed in all of the following situations EXCEPT when _____.

- A. The license is attached to the wrong Security Gateway.
- B. The existing license expires.
- C. The license is upgraded.
- D. The IP address of the Security Management or Security Gateway has changed.

Correct Answer: A

QUESTION 2

Which command can you use to verify the number of active concurrent connections?

- A. fw conn all
- B. fw ctl pstat
- C. show all connections
- D. show connections

Correct Answer: B

Reference: https://supportcenter.checkpoint.com/supportcenter/portal?eventSubmit_doGoviewsolutiondetails=&andsolutionid=sk103496

QUESTION 3

Check Point Management (cpm) is the main management process in that it provides the architecture for a consolidated management console. CPM allows the GUI client and management server to communicate via web services using _____.

- A. TCP port 19009
- B. TCP Port 18190
- C. TCP Port 18191
- D. TCP Port 18209

Correct Answer: A

QUESTION 4



When simulating a problem on ClusterXL cluster with `cphaprob -d STOP -s problem -t 0 register`, to initiate a failover on an active cluster member, what command allows you remove the problematic state?

- A. `cphaprob -d STOP unregister`
- B. `cphaprob STOP unregister`
- C. `cphaprob unregister STOP`
- D. `cphaprob -d unregister STOP`

Correct Answer: A

esting a failover in a controlled manner using following command;

```
# cphaprob -d STOP -s problem -t 0 register
```

This will register a problem state on the cluster member this was entered on; If you then run;

```
# cphaprob list
```

this will show an entry named STOP.

to remove this problematic register run following;

```
# cphaprob -d STOP unregister
```

Reference: <https://fwknowledge.wordpress.com/2013/04/04/manual-failover-of-the-fw-cluster/>

QUESTION 5

There are 4 ways to use the Management API for creating host object with R80 Management API. Which one is NOT correct?

- A. Using Web Services
- B. Using `cpconfig`
- C. Using CLISH
- D. Using SmartConsole GUI console

Correct Answer: B

[Latest 156-315.80 Dumps](#)

[156-315.80 VCE Dumps](#)

[156-315.80 Exam Questions](#)