



156-915.65^{Q&As}

Accelerated CCSE NGX R65

Pass CheckPoint 156-915.65 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/156-915-65.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CheckPoint Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

In SmartDashboard, you configure 45 MB as the required free hard-disk space to accommodate logs. What can you do to keep old log files, when free space falls below 45 MB?

- A. Do nothing. Old logs are deleted, until free space is restored.
- B. Do nothing. The SmartCenter Server automatically copies old logs to a backup server before purging.
- C. Use the fwm logexport command to export the old log files to other location.
- D. Configure a script to run fw logswitch and SCP the output file to a separate file server.

Correct Answer: D

QUESTION 2

An NGXR65 HA cluster contains two members with external interfaces 172.28.108.1 and 172.28.108.2. The internal interfaces are 10.4.8.1 and 10.4.8.2. The external cluster VIP address is 172.28.108.3 and the internal cluster VIP address is 10.4.8.3. The synchronization interfaces are 192.168.1.1 and 192.168.1.2. The Security Administrator discovers State Synchronization is not working properly. The cphaprob if command output displays shows: What is causing the State Synchronization problem?

```
Required interfaces: 3
Required secured interfaces: 1
eth00UP <sync, secured> multicast
eth1 UP non sync <non secured> multicast
eth2 UP non sync <non secured>, multicast
Virtual cluster interfaces: 3
eth0 192.168.1.3
eth1 172.28.108.3
eth2 10.4.8.3
```

- A. The synchronization network has been defined as "Network Objective: Cluster + 1st sync" with an IP address 192.168.1.3 defined in the NGX cluster object's topology. This configuration is supported in NGX and therefore the above screenshot is not relevant to the sync problem.
- B. The synchronization interface on the individual NGX cluster member object's Topology tab is enabled with "Cluster Interface". Disable this setting.
- C. The synchronization network has a cluster VIP address (192.168.1.3) defined in the NGX cluster object's topology. Remove the 192.168.1.3 VIP interface from the cluster topology.
- D. Another cluster is using 192.168.1.3 as one of the unprotected interfaces.

Correct Answer: A

QUESTION 3



Which of the following is a supported Sticky Decision function of Sticky Connections for Load Sharing?

- A. Multi-connection support for VPN-1 cluster members
- B. Support for Performance Pack acceleration
- C. Support for all VPN deployments (except those with third-party VPN peers)
- D. Support for SecureClient/SecuRemote/SSL Network Extender encrypted connections

Correct Answer: D

QUESTION 4

Choose all correct statements. SmartUpdate, located on a VPN-1 NGX SmartCenter Server, allows you to

- (1) Remotely perform a first time installation of VPN-1 NGX on a new machine.
- (2) Determine OS patch levels on remote machines.
- (3) Update installed Check Point and any OPSEC certified software remotely.
- (4) Update installed Check Point software remotely.
- (5) Track installed versions of Check Point and OPSEC products.
- (6) Centrally manage licenses.

- A. 1,3,4,S6
- B. 1 and4
- C. 4,5,S6
- D. 2,4,5,and6

Correct Answer: D

QUESTION 5

State Synchronization is enabled on both members in a cluster, and the Security Policy is successfully installed. No protocols or services have been deselected for "selective sync". The following is the fw tab -t connections -s output from both members: Is State Synchronization working properly between the two members?



```
MEMBER A :
HOST      NAME      ID      #UALS    #PEAK    #SLINKS
localhost connections 8158    1553     1560     800

[expert@memberB]# fw tab -t connections -s

MEMBER B :
HOST      NAME      ID      #UALS    #PEAK    #SLINKS
localhost connections 8158    800      1001     800
```

- A. Members A and B are synchronized, because #SLINKS are identical in the connections table.
- B. Members A and B are not synchronized, because #VALS in the connections table are not close.
- C. Members A and B are not synchronized, because #PEAK for both members is not close in the connections table.
- D. Members A and B are synchronized, because ID for both members is identical in the connections table.

Correct Answer: B

[156-915.65 VCE Dumps](#)

[156-915.65 Practice Test](#)

[156-915.65 Study Guide](#)