



156-915.65^{Q&As}

Accelerated CCSE NGX R65

Pass CheckPoint 156-915.65 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/156-915-65.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CheckPoint Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

You plan to migrate an NG with Application Intelligence (AI) R55 SmartCenter Server on Windows to VPN1 NGX R65. You also plan to upgrade four VPN-1 Pro Gateways at remote offices, and one local VPN-1 Pro Gateway at your company's headquarters. The SmartCenter Server configuration must be migrated. What is the correct procedure to migrate the configuration?

- A. 1. Upgrade the five remote Gateways via SmartUpdate.
2. Upgrade the SmartCenter Server, using the NGX R65 CD.
- B. 1. From the VPN-1 NGX R65 CD on the SmartCenter Server, select "Upgrade". 2.Reboot after installation and upgrade all licenses via SmartUpdate. 3.Reinstall all gateways using NGX R65 and install a policy.
- C. 1. From the VPN-1 NGX R65 CD in the SmartCenter Server, select "Export". 2.Install VPN-1 NGX R65 on a new PC using the option "Installation using imported configuration". 3.Reboot after installation and upgrade all licenses via SmartUpdate. 4.Upgrade software on all five remote Gateways via SmartUpdate.
- D. 1. Copy the \$FWDIR\conf directory from the SmartCenter Server. 2.Save directory contents to another file server. 3.Uninstall the SmartCenter Server, and install a new SmartCenter Server. 4.Move the saved directory contents to \$FWDIR\conf replacing the default installation files. 5.Reinstall all gateways using VPN-1 NGX R65 and install a Security Policy.

Correct Answer: C

QUESTION 2

You plan to migrate an NG with Application Intelligence (AI) R55 SmartCenter Server on Windows to VPN1 NGX R65. You also plan to upgrade four VPN-1 Pro Gateways at remote offices, and one local VPN-1 Pro Gateway at your company's headquarters. The SmartCenter Server configuration must be migrated. What is the correct procedure to migrate the configuration?

- A. 1. Upgrade the five remote Gateways via SmartUpdate.
2. Upgrade the SmartCenter Server, using the NGX R65 CD.
- B. 1. From the VPN-1 NGX R65 CD on the SmartCenter Server, select "Upgrade".
2.
Reboot after installation and upgrade all licenses via SmartUpdate.
3.
Reinstall all gateways using NGX R65 and install a policy.
- C. 1. From the VPN-1 NGX R65 CD in the SmartCenter Server, select "Export".
2.
Install VPN-1 NGX R65 on a new PC using the option "Installation using imported configuration".
3.



Reboot after installation and upgrade all licenses via SmartUpdate.

4.

Upgrade software on all five remote Gateways via SmartUpdate.

D. 1. Copy the \$FWDIR\conf directory from the SmartCenter Server.

2.

Save directory contents to another file server.

3.

Uninstall the SmartCenter Server, and install a new SmartCenter Server.

4.

Move the saved directory contents to \$FWDIR\conf replacing the default installation files.

5.

Reinstall all gateways using VPN-1 NGX R65 and install a Security Policy.

Correct Answer: C

QUESTION 3

Your primary SmartCenter Server is installed on a SecurePlatform Pro machine, which is also a VPN-1 Power Gateway. You want to implement Management High Availability (HA). You have a spare machine to configure as the secondary SmartCenter Server. How do you configure the new machine to be the standby SmartCenter Server?

A. Use cprod_util to reconfigure the primary SmartCenter Server to become the secondary on the VPN-1 Power Gateway. Install a new primary SmartCenter Server on the spare machine and set to "standby". Synchronize the "active" secondary to the "standby" primary in order to migrate the configuration.

B. Install the secondary Server on the spare machine. Add the new machine to any network routable to the primary Server. Synchronize the machines.

C. You cannot configure Management HA, when either the primary or secondary SmartCenter Server is running on a VPN-1 Pro Gateway.

D. Install the secondary Server on the spare machine. Add the new machine to the same network as the primary Server. Synchronize the machines.

Correct Answer: C

QUESTION 4

Which operating system is not supported by SecureClient?

A. MacOSX



- B. Windows XP SP2
- C. Windows 2003 Professional
- D. IPSO 3.9

Correct Answer: D

QUESTION 5

In a Management High Availability (HA) configuration, you can configure synchronization to occur automatically, when

(1)

The Security Policy is installed.

(2)

The Security Policy is saved.

(3)

The Security Administrator logs in to the secondary SmartCenter Server, and changes its status to active.

(4)

A scheduled event occurs.

(5)

The user database is installed.

Select the BEST response for the synchronization sequence. Choose One:

A.

1,2,3,4

B.

1,2,5

C.

1,2,4

D.

1,3,4

Correct Answer: C