



# 156-915.77<sup>Q&As</sup>

Check Point Certified Security Expert Update

## Pass CheckPoint 156-915.77 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/156-915-77.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by CheckPoint Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

You have configured Automatic Static NAT on an internal host-node object. You clear the box Translate destination on client site from Global Properties > NAT. Assuming all other NAT settings in Global Properties are selected, what else must be configured so that a host on the Internet can initiate an inbound connection to this host?

- A. No extra configuration is needed.
- B. A proxy ARP entry, to ensure packets destined for the public IP address will reach the Security Gateway's external interface.
- C. The NAT IP address must be added to the external Gateway interface anti-spoofing group.
- D. A static route, to ensure packets destined for the public NAT IP address will reach the Gateway's internal interface.

Correct Answer: D

---

### QUESTION 2

What firewall kernel table stores information about port allocations for Hide NAT connections?

- A. NAT\_dst\_any\_list
- B. host\_ip\_addrs
- C. NAT\_src\_any\_list
- D. fwx\_alloc

Correct Answer: D

---

### QUESTION 3

What are you required to do before running the command `upgrade_export`?

- A. Run a `cpstop` on the Security Gateway.
- B. Run a `cpstop` on the Security Management Server.
- C. Close all GUI clients.
- D. Run `cpconfig` and set yourself up as a GUI client.

Correct Answer: C

---

### QUESTION 4

To qualify as an Identity Awareness enabled rule, which column MAY include an Access Role?



- A. Source
- B. Track
- C. User
- D. Action

Correct Answer: A

---

#### QUESTION 5

Fill in the blank. To save your OSPF configuration in GAIa, enter the command \_\_\_\_\_ .

- A. save config

Correct Answer: A

[Latest 156-915.77 Dumps](#)

[156-915.77 PDF Dumps](#)

[156-915.77 VCE Dumps](#)