



# 156-915.80<sup>Q&As</sup>

Check Point Certified Security Expert Update - R80.10

## Pass CheckPoint 156-915.80 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/156-915-80.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by CheckPoint Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Fill in the blanks. To view the number of concurrent connections going through your firewall, you would use the command and syntax \_\_\_\_\_ .

Correct Answer: fw tab -t connections -s

### QUESTION 2

Fill in the blank.

```
C:\> arp -

Interface: 10.4.8.108 on Interface 0x4

Internet Address      Physical Address      Type
10.4.8.1              00-b0-d0-b7-b5-d5    dynamic
10.4.8.2              00-01-03-34-e3-9d    dynamic
10.4.8.3              00-01-03-34-e3-9d    dynamic
```

In New Mode HA, the internal cluster IP VIP address is 10.4.8.3. An internal host 10.4.8.108 successfully pings its Cluster and receives replies. Review the ARP table from the internal Windows host 10.4.8.108. Based on this information, what is the active cluster member's IP address?

Correct Answer: 10.4.8.2

### QUESTION 3

Match the ClusterXL modes with their configurations. Exhibit:



Mode	Configuration
A. Legacy mode High Availability	1. Every member of the cluster receives all packets sent to the cluster IP address, with the load distributed among all cluster members.
B. New mode High Availability	2. All machines may be active, based on a peak load algorithm. A failure of the active machine causes a failover to a cluster member bearing a lesser load.
C. Load Sharing Multicast mode	3. Provides a clustering mechanism through the use of cloned interface configuration details.
D. Load Sharing Unicast mode	4. One machine in the cluster receives all traffic from a router, and redistributes the packets to other machines in the cluster, implementing both Load Sharing and redundancy.
	5. Only one machine is active at any one time. A failure of the active machine causes a failover to the next highest priority machine in the cluster.

A. A-2, B-3, C-4, D-1

B. A-2, B-3, C-1, D-5

C. A-3, B-5, C-1, D-4

D. A-5, B-2, C-4, D-1

Correct Answer: C

#### QUESTION 4

Which of the following items should be configured for the Security Management Server to authenticate using LDAP?

A. Check Point Password

B. WMI object

C. Domain Admin username

D. Windows logon password

Correct Answer: A

#### QUESTION 5

Which of the following authentication methods can be configured in the Identity Awareness setup wizard?



- A. Check Point Password
- B. TACACS
- C. LDAP
- D. Windows password

Correct Answer: C

[Latest 156-915.80 Dumps](#)

[156-915.80 Exam Questions](#)

[156-915.80 Braindumps](#)