

1D0-437^{Q&As}

CIW PERL FUNDAMENTALS

Pass CIW 1D0-437 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/1d0-437.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by CIW Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





QUESTION 1


Which one of the following choices will assign the current package Library1?

- A. package::Library1;
- B. Library1::package;
- C. package(Library1);
- D. package Library1;

Correct Answer: D

QUESTION 2

Consider the program code in the attached exhibit.



What is the result of executing this program code?

- A. The code will output the following: 50
- B. The code will output the following: 0
- C. The code will output the following: 5
- D. The code will output the following: multiply(5, 10)

Correct Answer: B

QUESTION 3

Consider the following program code:

\$i = 15;

LOOP: for(; \$i



{
if (\$i % 2)
{
next LOOP;
}
print(\$i);
}
What is the result of executing this program code?
A. The code will output the following: 15 2 4 6 8 10 12 14 16 18 20 22 24
B. The code will output the following: 15 17 19 21 23 25
C. The code will fail at line 2 because \$i is not initialized.
D. The code will output the following: 16 18 20 22 24

Correct Answer: D

QUESTION 4

Consider the following lines of code:

\$_ = "This is a test";

s/^([^]*)\s*([^]*)/\$2 \$1/;

print;

What is the output of these lines of code?

A. h Tis a test

B. is This a test

- C. i Thiss a test
- D. his T is a test

Correct Answer: B

QUESTION 5

Consider the following code:

```
$_ = "New York";
```



@array2 = split(//);

What is the value of \$array2[0] after the code is executed?

A. ""

- B. "N e w"
- C. "NewYork"
- D. "N"

Correct Answer: D

1D0-437 Practice Test

1D0-437 Study Guide

1D0-437 Exam Questions