



# 1D0-635<sup>Q&As</sup>

CIW JavaScript Specialist

**Pass CIW 1D0-635 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1d0-635.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by CIW Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Consider the following code:

```
<html>
<head>
</head>
<body>
<p>What's your favorite fruit?</p>
<form name="myForm">
<input type="radio" name="rdoGroup1" id="opt1" value="Apple">Apple <br/>
<input type="radio" name="rdoGroup1" id="opt2" value="Orange">Orange <br/>
<input type="radio" name="rdoGroup1" id="opt3" value="Pear">Pear <br/>
</body>
</html>
```

Which statement could be used to determine the value of the first radio button?

- A. document.rdoGroup1.value
- B. document.myForm.rdoGroup1[0].value
- C. document.getElementById(rdoGroup1).value
- D. document.getElementById("rdoGroup1").value

Correct Answer: B

---

### QUESTION 2

Suppose you define two variables as follows:

```
var x = 5;
```

```
var y = "5";
```

Which statement will return the mathematical sum of these variables?

- A. alert(x + int(y));
- B. alert(x + parseInt(y));
- C. alert(x + y);
- D. alert((int)x + (int)y);

Correct Answer: B

---

### QUESTION 3

Consider the following code:



```
var i;  
for (i=1;i <= 10;i++)  
{  
    document.write(i + ", ");  
}
```

What output will appear in the browser when you run this script?

- A. "1, 2, 3, 4, 5, 6, 7, 8, 9"
- B. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10,
- C. 1, 2, 3, 4, 5, 6, 7, 8, 9,
- D. "1, 2, 3, 4, 5, 6, 7, 8, 9, 10"

Correct Answer: B

#### QUESTION 4

Consider the following code fragment, which sets up the retrieval of an XML document named fish.xml and calls a function named showFish():  
`var xmlhttp = new XMLHttpRequest(); xmlhttp.open("GET", "fish.xml", true); xmlhttp.onreadystatechange = showFish(); xmlhttp.send();`  
Which line of code initializes the XMLHttpRequest object?

- A. xmlhttp.send();
- B. var xmlhttp = new XMLHttpRequest();
- C. xmlhttp.open("GET", "fish.xml", true);
- D. xmlhttp.onreadystatechange = showFish();

Correct Answer: C

#### QUESTION 5

Consider the following code:

```
<html>  
<body>  
<form name="myForm">  
First Name: <input type="Text" name="firstName" />  
<input type="button" value="Select" onclick="alert(); " />  
</form>  
</body>  
</html>
```

What is the appropriate parameter for the alert() method in line 5 to reference the text in the firstName text box?



- A. `document.myForm.value(firstName)`
- B. `document.myForm.firstName.value`
- C. `window.myForm.firstName.value`
- D. `window.myForm.text(firstName)`

Correct Answer: B

[1D0-635 Study Guide](#)

[1D0-635 Exam Questions](#)

[1D0-635 Braindumps](#)