



1V0-642^{Q&As}

VMware Certified Associate 6 - Network Virtualization 6.2 Exam

Pass VMware 1V0-642 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1v0-642.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What is the total volume of traffic per Distributed Logical Router (DLR) that is supported by the Equal Cost Multipath (ECMP) model?

- A. 20GB
- B. 50 GB
- C. 80 GB
- D. 40 GB

Correct Answer: A

QUESTION 2

Which three statements are true about NSX Distributed Firewall? (Choose three.)

- A. It provides East-West stateful Layer 2 - Layer 4 firewall
- B. It allows you to create access control policies based on VMware vCenter Server objects such as data centers and clusters. DC FW works as perimeter security firewall.
- C. It provides North-South stateful Layer 3 - Layer 4 firewall.
- D. It is virtualization-aware firewall.

Correct Answer: ABE

QUESTION 3

How do virtual networks support physical infrastructure Quality of Service (QoS)?

- A. By receiving the help of the NSX gateway
- B. By marking the packets in the encapsulated header.
- C. By employing East-West traffic.
- D. By restricting the access of VLANs to specific pods

Correct Answer: B

QUESTION 4

One of the advantages of using VXLAN over VLAN is its high scalability. What is the maximum number of logical network IDs that is handled by VXLAN?



- A. 16 million
- B. 10 million
- C. 4,096
- D. 12 million

Correct Answer: A

QUESTION 5

Which NSX component enforces security rules between two virtual machines that are on the same Layer 2 segment?

- A. NSX Manager
- B. Distributed Router
- C. NSX distributed Firewall
- D. NSX Controller

Correct Answer: C

[1V0-642 PDF Dumps](#)

[1V0-642 VCE Dumps](#)

[1V0-642 Exam Questions](#)