



1Y0-230^{Q&As}

Citrix NetScaler 12 Essentials and Unified Gateway

Pass Citrix 1Y0-230 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1y0-230.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What are two pre-requisites for configuring SmartAccess policies on a NetScaler Gateway virtual server? (Choose two.)

- A. Universal License
- B. Pre- or Post-Endpoint Analysis configuration policy
- C. Smart card configuration policy
- D. Standard License

Correct Answer: AB

Make sure the Prerequisites are completed. This includes: ICA Only unchecked, Gateway Universal licenses installed, Callback URL configured at StoreFront, and Trust XML enabled on Delivery Controllers.

If you are using a Preauthentication Policy to run an Endpoint Analysis scan:

Reference: <https://www.carlstalhood.com/smartaccess-smartcontrol-netscaler-gateway-12/>

QUESTION 2

Scenario: A Citrix Administrator needs to integrate LDAP for Citrix ADC system administration using the current Active Directory groups. The administrator created the group on the Citrix ADC, exactly matching the group name in LDAP.

What can the administrator add next to complete the configuration of the LDAP?

- A. Users to the group on the Citrix ADC
- B. An AAA action to the group
- C. A command policy to the group to specify the permission level
- D. A nested group to the new group

Correct Answer: C

Reference: <https://support.citrix.com/article/CTX123782>

QUESTION 3

Scenario: A Citrix Administrator has a NetScaler SDX appliance with several instances configured. The administrator needs one instance with two interfaces connected to forward packets that are NOT destined for its MAC address. Hence, the administrator has enabled Layer 2 mode. After enabling Layer 2 mode, the administrator found the interface status going up and down.

What can the administrator perform to resolve this issue?

- A. Disable Layer 2 mode on a NetScaler instance.



- B. Enable MAC-based Forwarding mode.
- C. Enable tagging on all interfaces.
- D. Enable Layer 3 mode along with Layer 2 mode.

Correct Answer: C

QUESTION 4

Which NetScaler feature can be utilized to reuse existing TCP connections?

- A. Content Switching
- B. TCP Buffering
- C. Keep Alives
- D. Connection Multiplexing

Correct Answer: D

Explanation: TCP multiplexing is a technique that enables the reuse of existing TCP connections Reference:
<https://www.citrix.com/blogs/2012/03/08/connection-multiplexing-in-netscaler/>

QUESTION 5

Which two features can a Citrix Administrator use to allow secure access to a sensitive company web server that is load-balanced by the Citrix ADC? (Choose two.)

- A. ICA proxy
- B. Integrated caching
- C. Application Firewall
- D. AppFlow
- E. AAA

Correct Answer: AC

[1Y0-230 Practice Test](#)

[1Y0-230 Study Guide](#)

[1Y0-230 Braindumps](#)