



1Y0-231^{Q&As}

Deploy and Manage Citrix ADC 13 with Citrix Gateway

Pass Citrix 1Y0-231 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1y0-231.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Scenario: Users are attempting to logon through Citrix Gateway. They successfully pass the Endpoint Analysis (EPA) scan, but are NOT able to see the client choices at logon.

What can a Citrix Administrator disable to allow users to see the client choices at logon?

- A. Quarantine groups
- B. Client choices globally
- C. Split tunneling
- D. nFactor authentication

Correct Answer: A

Reference: <https://www.carlstalhood.com/category/netScaler/netScaler-12/netScaler-gateway-12/>

QUESTION 2

A Citrix Administrator deploys a new Citrix ADC MPX appliance in the demilitarized zone (DMZ), with one interface in the DMZ and the other on the internal network.

In which mode should the administrator deploy the Citrix ADC?

- A. Two-arm
- B. One-arm
- C. Forward proxy
- D. Transparent

Correct Answer: C

QUESTION 3

Scenario: A Citrix ADC MPX is using one of four available 10G ports. A Citrix Administrator discovers a traffic bottleneck at the Citrix ADC.

What can the administrator do to increase bandwidth on the Citrix ADC?

- A. Add two more 10G Citrix ADC ports to the network and configure VLAN.
- B. Add another 10G Citrix ADC port to the switch, and configure link aggregation control protocol (LACP).
- C. Purchase another Citrix ADC MPX appliance.
- D. Plug another 10G Citrix ADC port into the router.



Correct Answer: A

QUESTION 4

Which scenario will cause automatic high availability (HA) synchronization to fail?

- A. Different build versions
- B. A configuration change to the primary Citrix ADC
- C. A forced failover
- D. Manually forced synchronization

Correct Answer: D

Reference: <https://support.citrix.com/article/CTX124439>

QUESTION 5

A Citrix Administrator needs to configure a Citrix Gateway virtual server to meet an organization's security requirements.

Which two types of devices can the administrator control with Endpoint Analysis (EPA) scans? (Choose two.)

- A. iOS
- B. Mac
- C. Microsoft Windows
- D. Chromebook
- E. Android

Correct Answer: BC

Reference: https://shop.adn.de/out/media/citrix_netscaler_gw.pdf

[Latest 1Y0-231 Dumps](#)

[1Y0-231 Practice Test](#)

[1Y0-231 Study Guide](#)