



1Y0-241^{Q&As}

Deploy and Manage Citrix ADC with Traffic Management

Pass Citrix 1Y0-241 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1y0-241.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Scenario: While attempting to access web server that is load balanced by a Citrix ADC using HTTPS, a user receives the message below.

SSL/TLS error: You have not chosen to trust "Certificate Authority" the issuer of the server's security certificate.

What can a Citrix Administrator do to prevent users from viewing this message?

- A. Ensure that users have the certificate's private key.
- B. Ensure that users have the certificate's public key.
- C. Ensure that the server certificate is linked to its respective intermediate and root certificates.
- D. Ensure that users have the server certificate installed.

Correct Answer: C

<https://support.citrix.com/article/CTX101990>

QUESTION 2

What is the effect of the "set cs vServer-CS-1 -redirectURL http://www.newdomain.com/mysite/" command?

- A. If the vServer-CS-1 encounters a high connection rate, then users will be redirected to <http://www.newdomain.com/mysite/>.
- B. If the status of vServer-CS-1 is DOWN, then users will be redirected to <http://www.newdomain.com/mysite/>.
- C. All the requests to vServer-CS-1 will be redirected to <http://www.newdomain.com/mysite/>.
- D. All the requests without URL path/mysite/ will be redirected to <http://www.newdomain.com/mysite/>.

Correct Answer: B

<https://support.citrix.com/article/CTX108946/how-to-configure-redirect-url-on-adc-virtual-server-when-virtual-server-is-not-available>

QUESTION 3

Scenario: A Citrix Administrator made changes to a Citrix ADC, deleting parts of the configuration and saving some new ones. The changes caused an outage that needs to be resolved as quickly as possible. There is no Citrix ADC backup. What does the administrator need to do to recover the configuration quickly?

- A. Restart the Citrix ADC.
- B. Restore from the revision history.
- C. Run saved versus running configuration.



D. Run highly availability (HA) file synchronization.

Correct Answer: B

QUESTION 4

A Citrix Administrator needs to configure a Citrix ADC high availability (HA) pair with each Citrix ADC in a different subnet. What does the administrator need to do for HA to work in different subnets?

- A. Configure SyncVlan
- B. Turn on fail-safe mode.
- C. Turn on HA monitoring on all interfaces
- D. Turn on Independent Network Configuration (INC) mode.

Correct Answer: D

In Azure Deployments for example you use this. The correct answer is the Independent Network Configuration (INC). <https://docs.citrix.com/en-us/citrix-adc/current-release/deploying-vpx/deploy-vpx-on-azure/configure-ha-pair-with-alb-floating-ip-disabled-mode.htm>

QUESTION 5

When a Citrix ADC high availability (HA) pair failover occurs, by what method does the Citrix ADC communicate to the network switches and routers that IP-to-MAC address bindings have changed?

- A. Reverse ARP (RARP) to update the network devices
- B. MAC-based forwarding (MBF) to update the routers
- C. Proxy ARP to update the network devices
- D. Gratuitous ARPs (GARPs) to update the network devices

Correct Answer: D

Reference: <https://www.citrix.com/blogs/2015/01/05/netscaler-best-practice-with-vmac-in-a-high-availabilityconfiguration/>

[1Y0-241 PDF Dumps](#)

[1Y0-241 VCE Dumps](#)

[1Y0-241 Practice Test](#)