



1Y0-241^{Q&As}

Deploy and Manage Citrix ADC with Traffic Management

Pass Citrix 1Y0-241 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1y0-241.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Scenario: A Citrix Administrator configured SNMP to send traps to an external SNMP system. When reviewing the messages, the administrator notices several entity UP and entity DOWN messages. To what are these messages related?

- A. Load-balancing vServers
- B. Network interface
- C. High availability nodes
- D. SSL profile

Correct Answer: A

QUESTION 2

Scenario: A Citrix ADC is configured with Interface 1/1 and bound to VLAN 40. A Citrix Administrator executed the below command:

```
> bind vlan 10 -ifnum 1/1
```

What is the result of executing this command on the Citrix ADC?

- A. Interface 1/1 is bound to VLAN 20, and native VLAN is 20.
- B. Interface 1/1 is bound to VLAN 20, and native VLAN is NOT changed.
- C. Interface 1/1 is bound to VLAN 20, and native VLAN is 40.
- D. Interface 1/1 is bound to VLAN 20, and native VLAN is 1.

Correct Answer: A

<https://www.citrix.com/blogs/2014/12/29/netScaler-vlans-demystified/> <https://support.citrix.com/article/CTX115575>

QUESTION 3

Scenario: A Citrix Administrator configured a Citrix ADC active-passive, high availability (HA) pair. The HA pair failed over and customers were unable to access hosted websites. The administrator troubleshoots and discovers that the upstream router is NOT updating its ARP table.

What can the administrator configure to resolve this issue?

- A. Independent Network Configuration (INC) mode
- B. Route monitor



C. HA monitor

D. Virtual MAC

Correct Answer: D

QUESTION 4

Which two statements are true regarding a typical global server load balancing (GSLB) setup? (Choose two.)

A. Restrict the selection of a GSLB service from a subset of GSLB services bound to a GSLB vServer for the given domain.

B. An administrator CANNOT define a backup for a backup vServer in an active standby GSLB setup for a given GSLB domain.

C. Apply spillover policies on a subset of GSLB services, and ensure that the user CANNOT have a backup for a subset of GSLB services.

D. Any given GSLB vServer can load balance only one fully qualified domain name (FQDN).

Correct Answer: AD

QUESTION 5

Scenario: Client connections to certain vServers are abnormally high. A Citrix Administrator needs to be alerted whenever the connections pass a certain threshold.

How can the administrator use Citrix Application Delivery Management (ADM) to accomplish this?

A. Configure network reporting on the Citrix ADM by setting the threshold and email address.

B. Configure SMTP reporting on the Citrix ADM by adding the threshold and email address.

C. Configure TCP Insight on the Citrix ADM.

D. Configure specific alerts for vServers using Citrix ADM.

Correct Answer: A

<https://docs.citrix.com/en-us/citrix-application-delivery-management-service/networks/network-reporting.html>

[1Y0-241 VCE Dumps](#)

[1Y0-241 Practice Test](#)

[1Y0-241 Braindumps](#)