



1Y0-301^{Q&As}

Deploying Citrix XenDesktop 7.6 Solutions

Pass home 1Y0-301 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1y0-301.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by home
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which Virtual Disk Storage type should a Citrix Engineer configure for shared storage with XenServer when using a Fibre Channel SAN?

- A. NFS VHD
- B. Software iSCSI
- C. Hardware HBA
- D. Windows File Sharing (CIFS)

Correct Answer: C Section: (none)

QUESTION 2

Which mode should a database be configured for when using a SQL mirrored solution with Provisioning Services?

- A. High-performance mode (Synchronous)
- B. High-performance mode (Asynchronous)
- C. High-safety mode with a witness (Synchronous)
- D. High-safety mode with a witness (Asynchronous)

Correct Answer: C Section: (none)

QUESTION 3

Which two items are required when creating a machine catalog for Desktop OS machines using Machine Creation Services? (Choose two.)

- A. Bootstrap file
- B. Master image
- C. Target device
- D. Remote access policy
- E. Account naming convention

Correct Answer: BE Section: (none)

QUESTION 4

Which two statements are true regarding what is required when adding a new XenServer host to a heterogeneous



XenServer resource pool? (Choose two.)

- A. The host hardware must be identical.
- B. The CPU of the joining host must support hyper-threading.
- C. The server joining the pool is running the same version of XenServer and hotfixes.
- D. The features of the older CPUs must be a sub-set of the features of the CPUs of the server joining the pool.

Correct Answer: CD Section: (none)

QUESTION 5

Scenario: A Citrix Engineer needs to deploy Citrix Receiver using a custom Client Name value. The engineer uses the install command `CitrixReceiver /CLIENT_NAME=Terminal`. A user later renames the computer and the custom client name is lost.

Which additional install parameter could the engineer have used to prevent the custom client name from being lost?

- A. `SELFSERVICEMODE=FALSE`
- B. `ALLOW_CLIENTHOSTEDAPPSURL`
- C. `CLIENT_NAME=%COMPUTERNAME%`
- D. `ENABLE_DYNAMIC_CLIENT_NAME=NO`

Correct Answer: D Section: (none)

[1Y0-301 PDF Dumps](#)

[1Y0-301 Practice Test](#)

[1Y0-301 Study Guide](#)