



1Y0-311^{Q&As}

Citrix XenApp and XenDesktop 7.15 LTSR Advanced Administration

Pass Citrix 1Y0-311 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1y0-311.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which two components should a Citrix Engineer include in an operating system layer from a gold image? (Choose two.)

- A. Microsoft office plug-ins
- B. Printer settings
- C. Application patches
- D. Hypervisor tools
- E. Anti-virus

Correct Answer: CD

QUESTION 2

When creating layers, an image template can be used to _____. (Choose the correct option to complete the sentence.)

- A. Build an Application or Platform Layer
- B. Create an image of an App Layer for elastic distribution
- C. Create an OS Layer version
- D. Publish Layered Images

Correct Answer: D

Reference: <http://www.jgspiers.com/create-update-os-layer-unidesk-4/#Create-Image-Template>

QUESTION 3

Which three tasks can a Device Administrator, but NOT a Device Operator, perform? (Choose three.)

- A. View vDisk properties.
- B. Edit target device properties.
- C. Assign and remove vDisks from a device.
- D. Perform power management actions on target devices.
- E. Send messages to target devices.

Correct Answer: BCE

Explanation: These tasks include viewing vDisk properties (read-only) and assigning or removing vDisks from a device. They also include booting or shutting down target devices, editing device properties, and sending messages to target



devices within a device collection to which they have privileges. Reference: <https://docs.citrix.com/en-us/provisioning/current-release/architecture/admin-overview.html>

QUESTION 4

Why would a Citrix Engineer implement TFTP load balancing?

- A. To allow bootstrap download requests to be distributed among all available servers
- B. To allow concurrent streams to be balanced among all Provisioning Services servers in a Site
- C. To allow target devices to failover between Provisioning Services servers
- D. To allow user session requests to be sent to the least-loaded target device in a device collection

Correct Answer: A

Reference: <https://www.citrix.com/blogs/2011/05/02/load-balancing-tftp-anything-but-trivial/> <https://www.citrix.com/blogs/2014/04/01/a-solid-option-for-the-pvs-boot-method-tftp-load-balancing-usingnetscaler-10-1/>

QUESTION 5

Scenario: A Citrix Engineer is troubleshooting a database-related issue in a XenDesktop Site. The engineer tested the connectivity between the Delivery Controller and SQL server by doing a ping test and verifying the firewall rules. Now the engineer wants to check the number of registered service instances

with the directory.

Which PowerShell command should the engineer execute?

- A. Get-ConfigServiceInstance
- B. Test-ConfigServiceInstanceAvailability
- C. Register-ConfigServiceInstance
- D. Get-ConfigRegisteredServiceInstance

Correct Answer: D

Reference: <https://support.citrix.com/article/CTX216685>

[1Y0-311 PDF Dumps](#)

[1Y0-311 Study Guide](#)

[1Y0-311 Exam Questions](#)