



# 1Y0-351<sup>Q&As</sup>

Citrix NetScaler 10.5 Essentials and Networking

## Pass Citrix 1Y0-351 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1y0-351.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Scenario: A network engineer needs to implement high availability (HA) for a pair of NetScaler appliances. The existing appliance was recently restarted and the new appliance has been rack mounted and turned on for several weeks waiting to be configured. The engineer needs to create an HA pair, but is concerned that his original appliance will get erased when the HA pair is created.

Which two tasks could the engineer do before the creation of the HA pair to ensure that the existing unit stays the main appliance? (Choose two.)

- A. Set StayPrimary on the existing node.
- B. Configure StaySecondary on the new node.
- C. Enable HA Sync before adding the second node.
- D. Create a Route Monitor to ensure proper synchronization.
- E. Ensure that INC mode is enabled during creation of HA Pair.

Correct Answer: AB

---

### QUESTION 2



**Configure IP**

IP Address\* 192 . 168 . 0 . 111  
Netmask\* 255.255.255.0  
Virtual Router ID  
ARP Response NONE

Mode Active  
Type NetScaler IP  
ICMP Response NONE

Options  
 ARP  ICMP  Virtual Server  Dynamic Routing

Application Access Controls  
 Enable Management Access control to support the below listed applications.

Applications  
 Telnet  FTP  SSH  SNMP  
 GUI  
 Secure access only

Allow access only to management applications

Help OK Close

Which two of the following settings could be configured using a TCP profile that is bound to a service? (Choose two.)

- A. TCP buffer size
- B. Window scaling
- C. TCP Server time-out values
- D. Source IP for specific subnet
- E. Allowed bandwidth throughput
- F. Number of max concurrent TCP connections

Correct Answer: AB

### QUESTION 3

Scenario: A client connecting to an SSL virtual server receives the following error: "Invalid Server Certificate The server



certificate is invalid. Do you wish to accept this certificate and connect to the server anyway?"

What is a possible cause of this error message?

- A. The private key is NOT password-protected.
- B. The certificate key pair is password-protected.
- C. The intermediate CA certificate is NOT linked to the server certificate.
- D. Certificate Revocation Lists (CRLs) have NOT been defined on the NetScaler.

Correct Answer: C

---

#### QUESTION 4

On a NetScaler system, the \_\_\_\_\_ timeout value will mark any session that has reached the idle timeout for cleanup. (Choose the correct option to complete the sentence.)

- A. Client
- B. Server
- C. Zombie
- D. NATPCB

Correct Answer: C

---

#### QUESTION 5

Which two encryption algorithms are supported on the NetScaler to store the encrypted SSL private key with a password? (Choose two.)

- A. AES
- B. RC4
- C. DES
- D. DES3

Correct Answer: CD

[Latest 1Y0-351 Dumps](#)

[1Y0-351 Practice Test](#)

[1Y0-351 Study Guide](#)