1Y0-402^Q&As

Citrix XenApp and XenDesktop 7.15 Assessment, Design and Advanced Configurations

Pass Citrix 1Y0-402 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/1y0-402.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

365 Days Free Update

800,000+ Satisfied Customers

QUESTION 1

Scenario: A Citrix Architect needs to design an environment with optimal resource allocation for a large company. The company requires a highly available StoreFront design for 40,000 users. Each logs on once per hour, and the average user has 50 resources available. The company only has one datacenter.

The architect should recommend configuring a minimum of_____StoreFront servers, each with_____vCPUs and _____GB of RAM when all the connections are through Citrix Receiver for Web. (Choose the correct option to complete the sentence.)

A. 2; 4; 4

B. 4; 2; 4

C. 2; 4; 6

D. 4; 2; 2

Correct Answer: A

QUESTION 2

Scenario: During an assessment of a Citrix Infrastructure, a Citrix Architect finds that there are four active Sites. Each Site has one Citrix ADC SDX pair and two StoreFront servers in a server group to allow access for internal and external users. Users have to use different URLs when they access resources from different Sites. Single-factor authentication is used for both internal and external access. Citrix ADC appliances are placed in the DMZ with the appropriate firewall ports configured to allow Citrix traffic. Endpoint scanning is being used to ensure that an updated antivirus client is installed on BYO devices. Many of the internal users connect using corporate-owned laptops and some external users also connect using their own devices.

Which two risks can the architect identify from this scenario? (Choose two.)

A. Separate URLs are used to access different Sites.

B. The Citrix ADC appliance is placed in the DMZ.

C. Personal devices are being used.

D. Single-factor authentication is used.

E. There is no automatic failover between different Sites.

Correct Answer: BC

QUESTION 3

Scenario: A Citrix Architect needs to design a new XenApp and XenDesktop environment.

The architect has determined the applications and characteristics listed in the Exhibit during the application

assessment.

Click the Exhibit button to view the list of applications and characteristics.

Application	Users	Deployment	Complexity	Resource Requirements	Peripheral Requirements
Application1	Domain Users	Master Image	Low	Medium	Yes
Application2	HR	App-V	Low	Low	No
Application3	Payroll1, Payroll2	App Layer	High	Medium	Yes
Application4	Sales	Web App	Low	Low	No

To which application category does Application1 belong, based on the information provided in the Exhibit?

A. Management Apps

B. Common Apps

C. User Apps

D. Departmental Apps

Correct Answer: D

QUESTION 4

Scenario: A Citrix Architect needs to design a new XenApp and XenDesktop environment for a bank. After the project kickoff meeting, the following business drivers have been identified and prioritized in the following order:

1.

Increase security

2.

Reduce costs

3.

Improve the user experience

4.

Simplify management

Later in the design process, the architect documents the design decisions shown in the Exhibit (only some are shown).

Click the Exhibit button to view the design decisions.

Design Topic	Design Decision
Authentication Methods	• Internal users on managed devices: Smart card authentication • External users on BYOD devices: LDAP and RADIUS

Images	• Windows Server 2012 R2
	    o Provisioning Method: Provisioning Services
	    o FlexCast model: Published apps
	• Windows 10
	    o Provisioning Method: Provisioning Services
	    o FlexCast model: Hosted VDI (random, non-persistent)

Citrix Policies	• Policies that will be applied to all Virtual Delivery Agent machines:
	    o Client drive redirection: Enabled
	    o Client fixed drives: Allowed
	    o Client printer redirection: Prohibited
	    o Client USB device redirection: Prohibited
	    o Clipboard redirection: Allowed (text only)

Profiles	• Citrix Profile Management will be used for all Virtual Delivery Agent machines.

During the quality assurance review, the architect observes that one of these design decisions does NOT align with the business driver priorities.

Which design decision should be changed to match the prioritization of the business drivers?

A. Images

B. Profiles

C. Authentication Methods

D. Citrix Policies

Correct Answer: D

QUESTION 5

Scenario: A Citrix Architect needs to design a new XenApp and XenDesktop environment.

The architect has determined the applications and characteristics listed in the Exhibit during the application assessment.

Click the Exhibit button to view the list of applications and characteristics.

Application	Users	Deployment	Complexity	Resource Requirements	Peripheral Requirements
Application1	Payroll 1, Payroll 2	App Layer	High	Medium	Yes
Application2	HR Group	App-V	Low	Low	No
Application3	Domain Users	Master Image	High	Medium	Yes
Application4	Sales Group	Web App	Low	Low	No

To which application category does Application1 belong, based on the information provided in the Exhibit?

A. Management Apps

B. Common Apps

C. User Apps

D. Departmental Apps

Correct Answer: D