



1Y0-403^{Q&As}

Citrix Virtual Apps and Desktops 7 Assessment, Design and Advanced Configurations

Pass Citrix 1Y0-403 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1y0-403.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Scenario: A Citrix Architect is designing a new Citrix Virtual Apps and Desktops environment. While assessing the existing infrastructure, the architect determined that a number of users utilize legacy USB print devices that they will continue to need locally and within HDX sessions. The current HDX-optimized print virtual channel will NOT support these devices, so the architect decides that the Generic USB redirection channel should be used.

Which two factors must the architect consider when using Generic USB redirection? (Choose two.)

- A. It requires more network bandwidth compared to standard HDX virtual channels.
- B. Local access to printers will be lost until the HDX sessions is disconnected or ended.
- C. Manufacturer printer drivers will need to be installed on user workstations.
- D. The Citrix Virtual Channel Software Development Kit (VCSDK) will be required.
- E. It is supported for only USB 3.0 devices and features.

Correct Answer: AD

QUESTION 2

Scenario: A Citrix Architect is designing a new Citrix Virtual Apps and Desktops environment for a marketing and design company. One department uses several 3D applications based on OpenGL. These applications run as hosted applications within a single virtual machine (VM) running on a single Citrix Hypervisor host. The host is configured with 2 physical GPUs running NVIDIA GRID technology.

Which HDX 3D Pro method should the architect use for these 3D applications?

- A. Software-virtualized GPU
- B. Pass-through GPU
- C. Hardware-virtualized GPU
- D. CUDA-virtualized GPU

Correct Answer: B

Reference: <https://docs.citrix.com/en-us/citrix-virtual-apps-desktops/graphics/hdx-3d-pro.html>

QUESTION 3

A Citrix Architect is designing the Access Layer for a company that supports active-active mode for Citrix Gateway, as well as an on-premises, two-factor authentication solution.

Which feature supports this requirement?

- A. Citrix ADC Standard edition or higher



- B. Citrix ADC Cluster
- C. High-availability pair
- D. Citrix Gateway Service

Correct Answer: A

QUESTION 4

Scenario: A Citrix Architect needs to manage the disaster recovery (DR) process for a Citrix Virtual Apps and Desktops environment. The environment currently consists of an active data center typically accessed by users, and a DR data center used in the event that a disaster impacts the primary data center. Each data center hosts a separate Citrix Virtual Apps and Desktops Site. The overall environment has been designed to actively replicate user data and application data from the primary data center to the DR data center using Microsoft Distributed File System Replication (DFSR). Management has made it a priority to minimize the loss of data when failing over between data centers.

The primary data center suffers an outage that affects multiple components. As a result, management decides to fail over to the DR data center. The architect has blocked access to the primary data center to prevent new attempts to connect to its Citrix Virtual Apps and Desktops Site.

Which two actions must the architect perform to meet company priorities before enabling access to the DR data center? (Choose two.)

- A. Drain existing sessions from the primary data center.
- B. Complete data replication from the primary data center to the DR data center.
- C. Replicate the Site's SQL database backups to the DR data center.
- D. Evaluate the condition of the Citrix Virtual Apps and Desktops environment in the primary data center.
- E. Transport backup data repositories to the DR data center.

Correct Answer: AB

QUESTION 5

Scenario: A Citrix Architect needs to implement Citrix Virtual Apps and Desktops. Based on the assessment and early stages of the design, the requirements in the exhibit have been identified.

Click the Exhibit button to view the requirements.



Requirement	Detail
Number of Users	5,000
Environment	Production
Redundancy	Highly available
Administrative Team	Highly skilled IT teams
Level of Performance	High
Image Management	Citrix Provisioning (PVS)/non-persistent Machine Creation Services (MCS)/persistent
Additional Considerations	Dedicated network infrastructure required

Which tier of storage should the architect consider implementing, based on the requirement?

- A. DAS
- B. Local
- C. NAS
- D. SAN

Correct Answer: D

[Latest 1Y0-403 Dumps](#)

[1Y0-403 PDF Dumps](#)

[1Y0-403 VCE Dumps](#)