

1Y0-440^{Q&As}

Architecting a Citrix Networking Solution

Pass Citrix 1Y0-440 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/1y0-440.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/1y0-440.html

2024 Latest geekcert 1Y0-440 PDF and VCE dumps Download

QUESTION 1

Scenario: The Workspacelab team has configured their NetScaler Management and Analytics (NMAS) environment. A Citrix Architect needs to log on to the NMAS to check the settings.

Which two authentication methods are supported to meet this requirement? (Choose two.)

- A. Certificate
- **B. RADIUS**
- C. TACACS
- D. Director
- E. SAML
- F. AAA

Correct Answer: BC

Reference: https://docs.citrix.com/en-us/netscaler-mas/12/authentication-and-rbac/configuring.html

QUESTION 2

Which encoding type can a Citrix Architect use to encode the StyleBook content, when importing the StyleBook configuration under source attribute?

- A. Hex
- B. base64
- C. URL
- D. Unicode

Correct Answer: B

Reference: https://docs.citrix.com/en-us/netscaler-mas/12/stylebooks/how-to-use-api-to-createconfiguration-from-stylebooks/import-custom-stylebooks.html

QUESTION 3

What can help a Citrix Architect prepare to discuss time scales and resource requirements?

- A. Creating a high-level project plan.
- B. Meeting with each member of the project team to assign tasks.
- C. Designing the new environment.



https://www.geekcert.com/1y0-440.html

2024 Latest geekcert 1Y0-440 PDF and VCE dumps Download

D. Setting expectations with the project\\'s key stakeholders.

E. Identifying challenges associated with the project.

Correct Answer: A

Reference: https://www.citrix.com/blogs/2012/03/30/desktop-transformation-high-level-project-plan/

QUESTION 4

Scenario: A Citrix Architect has configured NetScaler Gateway integration with a XenApp environment to provide access to users from two domains: vendorlab.com and workslab.com. The Authentication method used is LDAP.

Which two steps are required to achieve Single Sign-on StoreFront using a single store? (Choose two.)

- A. Configure Single sign-on domain in Session profile `userPrincipalName\\'.
- B. Do NOT configure SSO Name attribute in LDAP Profile.
- C. Do NOT configure sign-on domain in Session Profile.
- D. Configure SSO Name attribute to `userPrincipalName\\' in LDAP Profile.

Correct Answer: BD

Reference: https://docs.citrix.com/en-us/storefront/3-12/plan/user-authentication.html

QUESTION 5

Scenario: A Citrix Architect has implemented two high availability pairs of MPX 5500 and MPX 11500 devices respectively with 12.0.53.13 nc version. The NetScaler devices are set up to handle NetScaler Gateway, Load Balancing, Application Firewall, and Content Switching. The Workspacelab infrastructure is set up to be monitored with NMAS version 12.0.53.13 nc by the Workspacelab administrators. The Workspacelab team wants to implement one more pair of NetScaler MPX 7500 devices with version

12.0.53.13 nc.

The Citrix consulting team has assigned the task to implement these NetScaler devices in the infrastructure and set them up to be monitored and managed by NMAS.

The following are the requirements that were discussed during the project initiation call:

1.

NMAS should be configured to get the infrastructure information under sections such as HDX Insight, WEB Insight, and Security Insight.

2.

Configuration on the new MPX devices should be identical to MPX 11500 devices.

3.



https://www.geekcert.com/1y0-440.html 2024 Latest geekcert 1Y0-440 PDF and VCE dumps Download

Configuration changes after the deployment and initial setup should be optimized using NMAS.

4.

NMAS should be utilized to configure templates that can be utilized by the Workspacelab team in future deployment.

5.

As per the requirement from the Workspacelab team, NMAS should be store the audited data for only 15 days.

Which process should the architect utilize to ensure that the deployment of MPX 11500 devices are optimized and that it is correct, before deploying the devices in production?

- A. Under Stylebooks; Inbuilt and composite stylebook templates should be utilized prior to deployment.
- B. Under Stylebooks; Public and composite stylebook templates should be utilized prior to deployment.
- C. Under Configuration Management; Configuration Audit and Advice should be used prior to deployment.
- D. Under Configuration jobs; Configuration Audit and Advice should be used prior to deployment.

Correct Answer: C

1Y0-440 PDF Dumps

1Y0-440 VCE Dumps

1Y0-440 Practice Test