



1Y0-440^{Q&As}

Architecting a Citrix Networking Solution

Pass Citrix 1Y0-440 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1y0-440.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Under which two circumstances will a service be taken out of the slow start phase with automated slow start? (Choose two.)

- A. The service does NOT receive traffic for three successive increment intervals.
- B. The server request rate parameters are set above 25 requests per second.
- C. The actual request rate is slower than the new service request rate.
- D. The percentage of traffic that the new service must receive is greater or equal to 50.
- E. The request rate has been incremented 100 times.

Correct Answer: AC

Reference: <https://docs.citrix.com/en-us/netscaler/12/load-balancing/load-balancing-advanced-settings/slow-start-service.html>

QUESTION 2

Scenario: A Citrix Architect needs to deploy SAML integration between NetScaler (Identity Provider) and ShareFile (Service Provider). The design requirements for SAML setup are as follows:

1.
NetScaler must be deployed as the Identity Provider (IDP).
2.
ShareFile server must be deployed as the SAML Service Provider (SP).
3.
The users in domain workspacelab.com must be able to perform Single Sign-on to ShareFile after authenticating at the NetScaler.
4.
The User ID must be UserPrincipalName.
5.
The User ID and Password must be evaluated by NetScaler against the Active Directory servers SFOADS-001 and SFO-ADS-002.
6.
After successful authentication, NetScaler creates a SAML Assertion and passes it back to ShareFile.
- 7.



Single Sign-on must be performed.

8.

SHA 1 algorithm must be utilized.

The verification environment details are as follows:

1.

Domain Name: workspacelab.com

2.

NetScaler AAA virtual server URL <https://auth.workspacelab.com>

3.

ShareFile URL <https://sharefile.workspacelab.com>

Which SAML IDP action will meet the design requirements?

A. add authentication samlIdPProfile SAMI-IDP -samlSPCertName Cert_1 -samlIdPCertName Cert_2
assertionConsimerServiceURL "https://auth.workspacelab.com/samlIssueName auth.workspacelab.com -signatureAlg
RSA-SHA256-digestMethod SHA256-encryptAssertion ON serviceProviderUD sharefile.workspacelad.com

B. add authentication samlIdPProfile SAMI-IDP -samlSPCertName Cert_1 -samlIdPCertName Cert_2
assertionConsimerServiceURL <https://sharefile.workspacelab.com/saml/acs>" -samlIssuerName
sharefile.workspacelab.com -signatureAlg RSA-SHA256 -digestMethod SHA256 -serviceProviderID
sharefile.workspacelab.com

C. add authentication samlIdPProfile SAMI-IDP -samlSPCertName Cert_1 -samlIdPCertName Cert_2
assertionConsimerServiceURL <https://sharefile.workspacelab.com/saml/acs>" -samlIssuerName auth.workspacelab.com
-signatureAlg RSA-SHA1-digestMethod SHA1 -encryptAssertion ON serviceProviderID sharefile.workspacelab.com

D. add authentication samlIdPProfile SAMI-IDP -samlSPCertName Cert_1 -samlIdPCertName Cert_2
assertionConsimerServiceURL <https://sharefile.workspacelab.com/saml/acs>" -samlIssuerName
sharefile.workspacelab.com -signatureAlg RSA-SHA1 -digestMethod SHA1 -encryptAssertion ON serviceProviderID
sharefile.workspacelab.com

Correct Answer: C

QUESTION 3

Scenario: A Citrix Architect needs to design a new NetScaler Gateway deployment to provide secure RDP access to backend Windows machines.

Click the Exhibit button to view additional requirements collected by the architect during the design discussions.



Topic	Requirements
Connections that should receive full VPN access	<ul style="list-style-type: none">• User should be a member of the "Executives" group.• Connections should be using the NetScaler Gateway Plugin.• Connections can come from any IP address source.

To meet the customer requirements, the architect should deploy the RDP proxy through _____, using a _____ solution. (Choose the correct option to complete the sentence.)

- A. ICAProxy; stateless gateway
- B. CVPN; single gateway
- C. CVPN; stateless gateway
- D. ICAProxy; single gateway

Correct Answer: B

QUESTION 4

Scenario: A Citrix Architect needs to assess a NetScaler Gateway deployment that was recently completed by a customer and is currently in pre-production testing. The NetScaler Gateway needs to use ICA proxy to provide access to a XenApp and XenDesktop environment. During the assessment, the customer informs the architect that users are NOT able to launch published resources using the Gateway virtual server.

Click the Exhibit button to view the troubleshooting details collected by the customer.

Issue Details
<ul style="list-style-type: none">• External users trying to launch a Shared Hosted Desktop via a NetScaler gateway connection receive an ICA file from StoreFront.• However, they are unable to launch the Shared Hosted Desktop.• The following ports are open on the firewall between the NetScaler gateway and the internal network where the Virtual Delivery Agent machines are located: Bidirectional: TCP 80, TCP 443, TCP 2598, TCP 1494• Users located on the internal network who connect directly to the StoreFront server are able to launch the Shared Hosted Desktop.

What is the cause of this issue?

- A. The required ports have NOT been opened on the firewall between the NetScaler gateway and the Virtual Delivery Agent (VDA) machines.
- B. The StoreFront URL configured in the NetScaler gateway session profile is incorrect.



C. The Citrix License Server is NOT reachable.

D. The Secure Ticket Authority (STA) servers are load balanced on the NetScaler.

Correct Answer: D

QUESTION 5

Scenario: A Citrix Architect needs to deploy a load balancing for an application server on the NetScaler. The authentication must be performed on the NetScaler. After the authentication, the Single Sign-on with the application servers must be performed using Kerberos impersonation.

Which three authentication methods can the Architect utilize to gather the credentials from the user in this scenario? (Choose three.)

A. SAML

B. OTP

C. TACACS

D. WEBAUTH

E. LDAP

Correct Answer: ADE

[Latest 1Y0-440 Dumps](#)

[1Y0-440 Study Guide](#)

[1Y0-440 Braindumps](#)