



# 1Y0-A21<sup>Q&As</sup>

Basic Administration for Citrix NetScaler 9.2

## Pass Citrix 1Y0-A21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1y0-a21.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Scenario: A customer has an HA pair configured and is making interface configuration changes on the primary node. However, the administrator notices that the changes are NOT being propagated to the secondary node.

What is the reason for this behavior?

- A. Propagation is not enabled.
- B. HA pair licensing is missing.
- C. Propagation is enabled, but synchronization is disabled.
- D. Interface configuration changes must be performed on each node.

Correct Answer: D

---

### QUESTION 2

Scenario: An administrator introduced two new servers into a server farm; the servers can handle more traffic than the older servers. The current load balancing method set for the virtual server managing the traffic for this group of servers is least connections. The administrator wants to maintain that load balancing method but also wants to use the new servers to improve performance by sending more traffic to them than to the older servers.

Which advanced option must the administrator configure to achieve this?

- A. Max Client
- B. Service Weights
- C. Backup virtual server
- D. Global Setting Override
- E. Connection-based Spillover

Correct Answer: B

---

### QUESTION 3

Scenario: An administrator would like to set an organization's homepage search engine type to display differently based on a user's browser. If a user accesses the homepage from an Internet Explorer browser, then the Bing search engine should be displayed. If a user accesses the homepage using a Google Chrome browser, then the Google search engine should be displayed.

Which feature could an administrator use to meet the needs of the scenario?

- A. Responder
- B. Rate limiting



- C. Priority Queuing
- D. Content Filtering

Correct Answer: A

---

#### QUESTION 4

Scenario: A company has contracts with multiple ISPs and would like to use all of them for Internet connections. The company also plans to use a NetScaler system for load balancing and failover.

What can an administrator configure to ensure that all ISP connections are being used and return traffic maintains the same path as the inbound traffic in this environment?

- A. Round robin load balancing with INAT configured
- B. Link load balancing with RNAT and USNIP enabled
- C. Multiple VLANs with Ingress rules and USIP enabled
- D. A load balancing policy with the appropriate preferred IP and preferred port parameters configured

Correct Answer: B

---

#### QUESTION 5

Scenario: An administrator has configured an SNMP manager to allow an engineer with the IP address

192.168.1.1 to perform SNMP queries on the NetScaler appliance. However, the engineer has been promoted to another position and has delegated SNMP management to another engineer who will manage the box from 192.168.1.5.

Which two steps are required for the administrator to allow the new engineer to manage the box? (Choose two.)

- A. Add SNMP Manager 192.168.1.5.
- B. Add SNMP Community 192.168.1.5.
- C. Remove SNMP manager 192.168.1.1.
- D. Remove SNMP Community 192.168.1.1.

Correct Answer: AC

[Latest 1Y0-A21 Dumps](#)

[1Y0-A21 Exam Questions](#)

[1Y0-A21 Braindumps](#)