



1Y0-A21^{Q&As}

Basic Administration for Citrix NetScaler 9.2

Pass Citrix 1Y0-A21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1y0-a21.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Citrix
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

An administrator needs to create a health check that will mark an HTTP service down if the bound monitor probe exceeds 40 milliseconds.

How can the administrator create the monitor for this health check using the command line interface?

- A. set mon monitor-HTTP-1 HTTP -interval 40 milli
- B. add lb mon monitor-HTTP-1 HTTP -interval 40 milli
- C. set mon monitor-HTTP-1 HTTP -resptimeout 40 milli
- D. add lb mon monitor-HTTP-1 HTTP -resptimeout 40 milli

Correct Answer: D

QUESTION 2

Scenario: An administrator has set up the configuration of an HA pair so that each NetScaler appliance has four connected interfaces. In addition, two pairs of interfaces for each appliance are configured in a link aggregation channel.

Which two additional steps should the administrator take to set up HA? (Choose two.)

- A. Configure a route monitor on the NetScaler.
- B. Disable the interfaces that are not connected.
- C. Enable HA monitoring on the physical interfaces only.
- D. Enable HA monitoring on the link aggregation channel.

Correct Answer: BD

QUESTION 3

Which three components does an administrator have to configure in order to establish a basic content switching setup? (Choose three.)

- A. GSLB sites
- B. SSL Offload
- C. ADNS services
- D. Rule or URL-based policies
- E. Load balancing virtual server
- F. Content switching virtual server



Correct Answer: DEF

QUESTION 4

Which qualifier designates the source IP of the outgoing packet in a classic policy for NetScaler 9.2?

- A. RES.HTTP
- B. RES.SOURCEIP
- C. RES.IP.SOURCEIP
- D. RES.HTTP.HEADER
- E. RES.HTTP.SOURCEIP

Correct Answer: C

QUESTION 5

When setting up a NetScaler system, an administrator can use the _____ to set the nsroot password. (Choose the correct option to complete the sentence.)

- A. Setup Wizard
- B. entity template
- C. SSL VPN Wizard
- D. passwd command
- E. set nsroot user command

Correct Answer: A

[1Y0-A21 VCE Dumps](#)

[1Y0-A21 Practice Test](#)

[1Y0-A21 Exam Questions](#)