



# 1Z0-034<sup>Q&As</sup>

Upgrade Oracle9i/10g OCA to Oracle Database OCP

## Pass Oracle 1Z0-034 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-034.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

You executed the following command In Recovery Manager {RMAN):

```
RMAN>REPORTNEEDBACKUPdays 3;
```

What is the output of this command?

- A. a list of files that require a backup within three days
- B. a list of files requiring more than 3 days of archive logs to apply
- C. a list of files that RMAN recommends be backed up only once in every three days, based on low volatility
- D. a list of files for which a backup has already been performed in the last three days and which is required to be backed up again based on the high number of transactions performed on them

Correct Answer: B

---

### QUESTION 2

Evaluate the following block of code:

```
BEGIN
  DBMS_NETWORK_ACL_ADMIN.CREATE_ACL (
    acl => 'mycompany-com-permissions.xml',
    principal => 'ACCT_MGR',
    is_grant => TRUE,
    privilege => 'connect');
  DBMS_NETWORK_ACL_ADMIN.ASSIGN_ACL (
    acl -> 'mycompany-com-permissions.xml',
    host => '*.mycompany.com');
END;
```

What is the outcome of the above code?

- A. It produces an error because a fully qualified host name needs to be specified.
- B. It produces an error because the range of ports associated with the hosts has not been specified.
- C. It creates an access control list (ACL) with the user ACCT\_MGR who gets the CONNECT and RESOLVE privileges.
- D. It creates an access control list (ACL) with the user ACCT\_MGR who gets the CONNECT privilege but not the RESOLVE privilege.

Correct Answer: C

---



### QUESTION 3

Your database initialization parameter file has the following entry:

```
SEC_MAX_FAILZD_LOGIN_ATTEMPTS=3
```

Which statement is true regarding this setting?

- A. It drops the connection after the specified number of login attempts fail for any user.
- B. It is enforced only if the password profile is enabled for the user.
- C. It locks the user account after the specified number of attempts.
- D. It drops the connection after the specified number of login attempts fail only for users who have the SYSDBA privilege.

Correct Answer: A

---

### QUESTION 4

The instance abnormally terminates because of a power outage. Which statement is true about redo log files during instance recovery?

- A. Inactive and current redo log files are required to accomplish recovery
- B. Online and archived redo files are required to accomplish instance recovery
- C. All redo log entries after the last checkpoint are applied from redo log files to data files
- D. All redo log entries recorded in the current log file until the checkpoint position are applied to data files

Correct Answer: C

---

### QUESTION 5

Which options would you consider while configuring a flash recovery area (fast recovery area in 11g Release 2) for your production database that is running in ARCHIVELOG mode? (Choose all that apply.) (Choose all that apply.)

- A. setting the FAST\_START\_MTTR\_TARGET to set the mean time to recover
- B. setting the RECOVERY\_PARALLELISM parameter to twice the number of CPUs
- C. using the DB\_RECOVERY\_FILE\_DEST parameter to set the location for flash recovery area
- D. using the DB\_RECOVERY\_FILE\_DEST\_SIZE parameter to define the disk space limit for the recovery files created in the flash recovery area.

Correct Answer: CD

---



VCE & PDF

GeekCert.com

<https://www.geekcert.com/1z0-034.html>

2024 Latest geekcert 1Z0-034 PDF and VCE dumps Download

---

[Latest 1Z0-034 Dumps](#)

[1Z0-034 Practice Test](#)

[1Z0-034 Exam Questions](#)