



# 1Z0-034<sup>Q&As</sup>

Upgrade Oracle9i/10g OCA to Oracle Database OCP

## Pass Oracle 1Z0-034 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-034.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

The DB\_BLOCK\_CHECKING parameter is set to FALSE.

What level of block checking will be performed?

- A. The Oracle database will not perform block checking for any of the data blocks.
- B. The Oracle database will perform block checking for the default permanent tablespace only.
- C. The Oracle database will perform block checking for the data blocks in all user tablespaces.
- D. The Oracle database will perform block checking for the data blocks in the SYSTEM tablespace only.
- E. The Oracle database will perform block checking for the data blocks in the SYSTEM and SYSAUX tablespaces.

Correct Answer: D

---

### QUESTION 2

Examine the following ALTER command:

```
SQL> ALTER DISKGROUP dgroup1 UNDROP DISKS;
```

What is the purpose of the command?

- A. It cancels all pending disk drops within the disk group.
- B. It adds previously dropped disks back into the disk group.
- C. It restores disks that are being dropped as the result of a DROP DISKGROUP operation.
- D. It mounts disks in the disk group for which the drop-disk operation has already been completed.
- E. It restores all the dropped disks in the disk group for which the drop-disk operation has already been completed.

Correct Answer: A

---

### QUESTION 3

View the Exhibit and examine the parameter settings in your server-side parameter file (SPFILE). When you tried to start the database instance, you received the following error:

```
SQL> startup ORA-00824: cannot set SGA_TARGET or MEMORY_TARGET due to existing internal settings, see alert log for more information
```

Why did the instance fail to start?

Exhibit: A. Because the PGA\_AGGREGATE\_TARGET parameter is not set



```
*.audit_file_dest='/u01/app/oracle/admin/orcl/adump'
*.audit_trail='db'
*.compatible='11.1.0.0.0'
*.control_files='/u01/app/oracle/oradata/orcl/control01.ctl','/u01/app/oracle/oradata/orcl/control02.ctl','/u01/app/oracle/oradata/orcl/control03.ctl'
*.db_block_size=8192
*.db_domain='us.oracle.com'
*.db_name='orcl'
*.db_recovery_file_dest='/u01/app/oracle/flash_recovery_area'
*.db_recovery_file_dest_size=2147483648
*.sga_target=436207616
*.dispatchers='(PROTOCOL=TCP) (SERVICE=orclXDB)'
*.filesystemio_options='ASYNCH'
*.job_queue_processes=1000
*.memory_max_target=629145600
*.memory_target=629145600
*.open_cursors=300
*.processes=150
*.remote_login_passwordfile='EXCLUSIVE'
*.statistics_level='BASIC'
orcl.resource_manager_plan='FORCE:'
*.undo_tablespace='UNDOTBS1'
```

- B. Because the STATISTICS\_LEVEL parameter is set to BASIC
- C. Because MEMORY\_TARGET and MEMORY\_MAX\_TARGET cannot be equal
- D. Because both the SGA\_TARGET and MEMORY\_TARGET parameters are set.

Correct Answer: B

#### QUESTION 4

Which two statements are correct about database transportation? (Choose two.)

- A. The source and target platforms must be the same
- B. Redo logs, control files and temp files are also transported
- C. The transported database must have the same database identifier (DBID) as the source database and cannot be changed
- D. The COMPATIBLE parameter must be set to 10.0.0.0 or higher and the database must be opened in readonly mode before being transported
- E. Recovery Manager (RMAN) is used to convert the necessary data files of the database if the target platform is different and has different endian format

Correct Answer: DE



#### QUESTION 5

To accomplish user-managed backup for the USERS tablespace, you issued the following command to put the tablespace in backup mode:

```
SQL> ALTER TABLESPACE users BEGIN BACKUP;
```

While copying the file to the backup destination a power outage caused the instance to terminate abnormally.

Which statement is true about the next database startup and the userstablespace?

- A. The database will open, and the tablespace automatically comes out of the backup mode.
- B. The database will be mounted, and recovery must be performed on the USERS tablespace.
- C. The database will be mounted, and data files in the USERS tablespace must be taken out of the backup mode.
- D. The database will not be mounted, and you must restore all the data files for the USERS tablespace from the backup, and perform recovery.

Correct Answer: C

[1Z0-034 PDF Dumps](#)

[1Z0-034 Practice Test](#)

[1Z0-034 Study Guide](#)