



1Z0-034^{Q&As}

Upgrade Oracle9i/10g OCA to Oracle Database OCP

Pass Oracle 1Z0-034 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-034.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two statements are true about a job chain? (Choose two.)

- A. A job chain can contain a nested chain of jobs.
- B. The jobs in a job chain cannot have more than one dependency.
- C. A job of the CHAIN type can be run using event-based or time-based schedules.
- D. The jobs in a job chain can be executed only by using the events generated by the Scheduler

Correct Answer: AC

QUESTION 2

Which statement is true about a running session that belongs to the online transaction processing (OLTP) group?

```
BEGIN
DBMS_RESOURCE_MANAGER.CREATE_PLAN_DIRECTIVE (
  PLAN                => 'PRIUSERS',
  GROUP_OR_SUBPLAN    => 'OLTP',
  COMMENT              => 'OLTP GROUP',
  MGMG_P1              => 75,
  SWITCH_GROUP        => 'LOW_GROUP',
  SWITCH_IO-REQS      => 10000,
  SWITCH_IO_MEGABYTES => 2500,
  SWITCH_FOR_CALL     => TRUE);
END;
/
```

- A. It permanently switches to the low_group consumer group if the session exceeds 10,000 I/O requests or 2,500 MB of data transfer.
- B. It performs the first 10000 I/O requests or 2,500 MB of data transfer in the LOW-GROUP consumer group, and then switches to the original group.
- C. It switches to the LOW_GROUP consumer group if the session exceeds 10000 I/O requests or 2500 MB of data transfer and returns to the original group after the operation.
- D. It switches to the LOW_GROUP consumer group if the session exceeds 10000 I/O requests or 2500 MB of data transfer for queries, but not for data manipulation language (DML) operations.

Correct Answer: C



QUESTION 3

Which two statements about Oracle Direct Network File System (NFS) are true? (Choose two.)

- A. It bypasses the OS file system cache.
- B. A separate NFS interface is required for use across Linux, UNIX, and Windows platforms.
- C. It uses the operating system kernel NFS layer for user tasks and network communication modules.
- D. File systems need not be mounted by the kernel NFS system when being served through Direct NFS.
- E. Oracle Disk Manager can manage NFS on its own, without using the operating system kernel NFS driver.

Correct Answer: AE

QUESTION 4

Examine the following command to create an external table from EMPLOYEES and DEPARTMENTS database tables.

1.

```
CREATE TABLE employee_ext
```

2.

```
(employee_id, first_name, department_name)
```

3.

```
ORGANIZATION EXTERNAL
```

4.

```
(
```

5.

```
TYPE ORACLE_LOADER
```

6.

```
DEFAULT DIRECTORY ext_dir
```

7.

```
LOCATION (\\emp1.dmp\\)
```

8.

```
)
```

9.

```
PARALLEL
```



10.

AS

11.

```
SELECT e.employee_id, e.first_name, e.last_name, d.department_name
```

12.

FROM employees e, departments d; Which line of the command would cause an error?

A. line 2, because the column names have been specified

B. line 7, because file name must have a .dat extension

C. line 3, because ORGANIZATION EXTERNAL has been specified

D. line 9, because the PARALLEL option cannot be specified with one file name

E. line 12, because there is no join defined between EMPLOYEES and DEPARTMENTS table

F. line 5, because ORACLE_LOADER is not a valid structure for external table creation with the SELECT statement

Correct Answer: F

QUESTION 5

You are in the middle of a transaction updating a very important table. The machine on which a database was running reboots because of power outage. This caused a database instance failure.

Which statement is true in this situation?

A. The online redo log files and archived redo log files are required to accomplish the recovery

B. The uncommitted transaction will be committed at the next startup of the database instance

C. The uncommitted transaction is rolled back automatically at the next opening of the database

D. The DBA has to perform the recovery on the database to recover the uncommitted transaction

Correct Answer: C

[1Z0-034 PDF Dumps](#)

[1Z0-034 VCE Dumps](#)

[1Z0-034 Practice Test](#)