



# 1Z0-062<sup>Q&As</sup>

Oracle Database 12c: Installation and Administration

## Pass Oracle 1Z0-062 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-062.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which three statements are true about naming methods? (Choose three.)

- A. Local naming supports multiple protocols, but for any one connection, the client and server must use the same protocol.
- B. In the Easy Connect method, clients can connect to a database server by using the host name of the database with an optional port and service name.
- C. In the Easy Connect method, the listener port and IP address must be provided for the connection to be successful.
- D. The local naming method does not support connect-time failover and load-balancing options.
- E. The directory naming method supports connect-time failover and load-balancing options.

Correct Answer: ABE

---

### QUESTION 2

Which task would you recommend before using the Database Upgrade Assistant (DBUA) to upgrade a single-instance Oracle 11g R2 database to Oracle Database 12c?

- A. shutting down the database instance that is being upgraded
- B. executing the catctl.pl script to run the upgrade processes in parallel
- C. running the Pre-Upgrade Information Tool
- D. copying the listener.ora file to the new ORACLE\_HOME

Correct Answer: C

References: [http://docs.oracle.com/cd/E11882\\_01/server.112/e23633/upgrade.htm#UPGRD12395](http://docs.oracle.com/cd/E11882_01/server.112/e23633/upgrade.htm#UPGRD12395)

---

### QUESTION 3

Identify three situations in which messages are written to the alert log file. (Choose three.)

- A. Rebuilding an index using ALTER INDEX . . . REBUILD fails with an error "ORA-01578: ORACLE data block corrupted (file # 14, block # 50)"
- B. Creating a table returns "ORA-00955: name is already in used by an existing object"
- C. Inserting a value into a table returns "ORA-01722: invalid number"
- D. Updating a record in a table returns "ORA-00060: deadlock detected while waiting for resource"
- E. Inserting a value into a table returns "ORA-00001: unique constraint (SYS.PK\_XXXX) violated"
- F. Running a query on a table returns "ORA-01578: ORACLE data block corrupted (file # 4, block # 131)"



Correct Answer: ADF

---

#### QUESTION 4

You upgrade your Oracle database in a multiprocessor environment. As a recommended you execute the following script:

```
SQL > @utlrp.sql
```

Which two actions does the script perform? (Choose two.)

- A. Parallel compilation of only the stored PL/SQL code
- B. Sequential recompilation of only the stored PL/SQL code
- C. Parallel recompilation of any stored PL/SQL code
- D. Sequential recompilation of any stored PL/SQL code
- E. Parallel recompilation of Java code
- F. Sequential recompilation of Java code

Correct Answer: CE

utlrp.sql and utlprp.sql

The utlrp.sql and utlprp.sql scripts are provided by Oracle to recompile all invalid objects in the database.

They are typically run after major database changes such as upgrades or patches. They are located in the

\$ORACLE\_HOME/rdbms/admin directory and provide a wrapper on the UTL\_RECOMP package. The

utlrp.sql script simply calls the utlprp.sql script with a command line parameter of "0". The utlprp.sql

accepts a single integer parameter that indicates the level of parallelism as follows.

0 - The level of parallelism is derived based on the CPU\_COUNT parameter.

1 - The recompilation is run serially, one object at a time.

N - The recompilation is run in parallel with "N" number of threads.

Both scripts must be run as the SYS user, or another user with SYSDBA, to work correctly.

---

#### QUESTION 5

Your database instance has the following parameter setting:

```
OS_AUTHENT_PREFIX = OPS$
```

You execute the following command:



```
SQL> CREATE USER ops$guest_user  
IDENTIFIED EXTERNALLY  
DEFAULT TABLESPACE users;
```

And then grant OPS\$GUEST\_USER the CREATE SESSION privilege.

Which two statements are true? (Choose two.)

- A. GUEST\_USER can query the tables created in the USERS tablespace by default.
- B. The authentication details for GUEST\_USER are stored in the database password file.
- C. A local GUEST\_USER OS account should exist before GUEST\_USER can log on to the database.
- D. GUEST\_USER can log on to the database without specifying a username and password.
- E. GUEST\_USER is forced to change the password at the first login.

Correct Answer: CD

[1Z0-062 VCE Dumps](#)

[1Z0-062 Practice Test](#)

[1Z0-062 Study Guide](#)