



# 1Z0-063<sup>Q&As</sup>

Oracle Database 12c: Advanced Administration

**Pass Oracle 1Z0-063 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-063.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Your database supports an OLTP workload. Examine the output of the query: To ensure faster instance recovery, you set the FAST\_START\_MTTR\_TARGET initialization parameter to

```
SQL> SELECT target_mttr, estimated_mttr
       FROM v$instance_recovery
TARGET_MTTR ESTIMATED_MTTR
-----
0           76
```

30.

What is the effect of this setting on the database?

- A. Automatic checkpoint tuning is disabled.
- B. The frequency of log switches is increased.
- C. The overhead on database performance is increased because of frequent writes to disk.
- D. The MTTR advisor is disabled.

Correct Answer: C

---

### QUESTION 2

Which three are true about Transparent Data Encryption (TDE)? (Choose three.)

- A. It stores the current and all past master keys in the keystore.
- B. It replaces secure application roles.
- C. Master encryption keys are managed by Oracle Database Vault.
- D. It can encrypt data at the column level.
- E. It uses a single master key for a database.
- F. It encrypts only data on the client.

Correct Answer: ACD

Reference: <https://docs.oracle.com/database/121/ASOAG/introduction-to-transparent-dataencryption.htm#ASOAG10117>

---

### QUESTION 3



The CATDB12C database contains an Oracle Database 12c catalog schema owned by the RC12C user. The CATDB11 database contains an Oracle Database 11g catalog schema owned by the RC11 user.

A database with DBID=1423241 is registered in the CATDB11 catalog. Both the recovery catalog databases are open.

In the CATDB12c database, you execute the commands:

```
$ rman
RMAN> CONNECT CATALOG rc12c/pass12c@catdb12c
RMAN> IMPORT CATALOG rc11/pwdcat11@catdb11 DBID=1423241;
```

What is the outcome of the import?

- A. It fails because the target database and recovery catalog database are of different versions.
- B. It succeeds and all global scripts in the RC11 catalog that have the same name as existing global scripts in the RC12C catalog are automatically renamed.
- C. It succeeds but the database is not automatically registered in the RC12c catalog.
- D. It fails because RMAN is not connected to the target database with DBID=1423241.

Correct Answer: A

---

#### QUESTION 4

Which three RMAN persistent settings can be set for a database? (Choose three.)

- A. backup retention policy
- B. default backup device type
- C. default section size for backups
- D. default destinations for backups
- E. multiple backup device types for a single backup

Correct Answer: ABD

Reference: [http://docs.oracle.com/cd/B19306\\_01/backup.102/b14192/setup004.htm#i1019739](http://docs.oracle.com/cd/B19306_01/backup.102/b14192/setup004.htm#i1019739)

---

#### QUESTION 5

Which two are prerequisites for creating a backup-based duplicate database? (Choose two.)

- A. connecting to the target database and a recovery catalog to execute the duplicate command
- B. creating a password file for an auxiliary instance
- C. connecting to an auxiliary instance



D. matching the database identifier (DBID) of the source database and the duplicate database E. creating an SPFILE for the target database

Correct Answer: AB

Reference: [http://docs.oracle.com/cd/E11882\\_01/backup.112/e10643/rcmsynta020.htm#CHDEDFFH](http://docs.oracle.com/cd/E11882_01/backup.112/e10643/rcmsynta020.htm#CHDEDFFH)

[1Z0-063 Practice Test](#)

[1Z0-063 Exam Questions](#)

[1Z0-063 Braindumps](#)