



1Z0-063^{Q&As}

Oracle Database 12c: Advanced Administration

Pass Oracle 1Z0-063 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-063.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Examine the command used to perform an incremental level-0 backup:

```
RMAN> BACKUP INCREMENTAL LEVEL0 DATABASE;
```

To enable block change tracking, after the incremental level 0 backup, you issue the command:

```
SQL> ALTER DATABASE ENABLE BLOCK CHANGE TRACKING USING FILE\\mydir/rman_change_track.f\';
```

To perform an incremental level-1 cumulative backup, you issue the command:

```
RMAN> BACKUP INCREMENTAL LEVEL1 CUMULATIVE DATABASE;
```

Which two statements are true in the preceding situation? (Choose two.)

- A. The block change tracking data is used only from the next incremental backup.
- B. The incremental level 1 backup fails because a block change tracking file is created after the level 0 backup.
- C. The incremental level 1 backup does not use change tracking data for accomplishing the backup.
- D. The block change tracking file scans all blocks and creates a bitmap for the blocks backed up in the level 0 backup.
- E. The block change tracking data is used for the next incremental level 1 backup only after the next level 0 backup.

Correct Answer: CE

QUESTION 2

Which three statements are true about compression of backup sets? (Choose three.)

- A. Compressed backups can only be written to media.
- B. Binary compression creates performance overhead during a backup operation.
- C. Unused blocks below the high-water mark are not backed up.
- D. Compressed backups cannot have section size defined during a backup operation
- E. It works only for locally managed tablespaces.

Correct Answer: BCE

QUESTION 3

On your Oracle 12c database, you invoke SQL*Loader to load data into the employees table in the hr schema by issuing the command:

```
S>sqlldrhr/hr@pdb table=employees
```



Which two statements are true about the command? (Choose two.)

- A. It succeeds with default settings if the employees table exists in the hr schema.
- B. It fails because no SQL*Loader data file location is specified.
- C. It fails if the hr user does not have the create any directory privilege.
- D. It fails because no SQL*Loader control file location is specified.
- E. It succeeds and creates the employees table in the HR schema.

Correct Answer: AD

QUESTION 4

Which two are prerequisites for setting up Flashback Data Archive? (Choose two.)

- A. Fast Recovery Area should be defined.
- B. Undo retention guarantee should be enabled.
- C. Supplemental logging should be enabled.
- D. Automatic Undo Management should be enabled.
- E. All users using Flashback Data Archive should have unlimited quota on the Flashback Data Archive tablespace.
- F. The tablespace in which the Flashback Data Archive is created should have Automatic Segment Space Management (ASSM) enabled.

Correct Answer: DF

QUESTION 5

Which two components are contained only in CDB\$ROOT? (Choose two.)

- A. the unified audit trail
- B. database links between PDBs in the CDB
- C. PDB service names
- D. resource manager plans for each PDB in the CDB
- E. the default TEMP tablespace for the entire CDB

Correct Answer: CE

Reference <https://docs.oracle.com/database/121/CNCPT/cdblogic.htm#CNCPT89268>



VCE & PDF

GeekCert.com

<https://www.geekcert.com/1z0-063.html>

2024 Latest geekcert 1Z0-063 PDF and VCE dumps Download

[Latest 1Z0-063 Dumps](#)

[1Z0-063 VCE Dumps](#)

[1Z0-063 Practice Test](#)