



# 1Z0-066<sup>Q&As</sup>

Oracle Database 12c: Data Guard Administrator

**Pass Oracle 1Z0-066 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-066.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Examine the Data Guard configuration: DGMGRL> show configuration Configuration -Animals Protection Mode: MaxAvailability Databases: dogs- Primary database sheep- (\*) Physical standby database

cats- Physical standby database Fast-Start Failover: ENABLED Configuration Status: SUCCESS What happens if you issue "switchover" to sheep;" at the DGMGRL prompt?

- A. The switchover succeeds but Dogs need to be reinstated
- B. The switchover succeeds but Fast-Start Failover is suspended.
- C. The switchover succeeds and Cats become the new failover target.
- D. The switchover succeeds and Dogs become the new failover target
- E. it results in an error indicating that a switchover is not allowed.

Correct Answer: D

---

### QUESTION 2

Which three are true regarding the Enterprise Manager Cloud Control Data Guard configuration verification wizard?

- A. it checks that supplemental logging is turned on if there is a logical standby database in the configuration.
- B. it verifies that parameter settings in the SPFILE or in memory or both, are consistent with the broker configuration properties for that database.
- C. It checks that the current data protection level is consistent with the broker's configured data protection mode.
- D. it modifies the database configurable parameters to match the values set for the broker configuration.
- E. It generates a workload on the primary database causing log switching, and monitors the arrival rate of redo on the standby database.

Correct Answer: ABC

---

### QUESTION 3

Examine the Data Guard configuration:

Properties:

FastStartFailoverThreshold = `30`

OperationTimeout = `30`

TraceLevel = `USER`

FastStartFailoverLagLimit = `30`



CommunicationTimeout = `180\`

ObserverReconnect = `10\`

FastStartFailoverAutReinststate = `TRUE\`

FastStartFailoverPmyShutdown = `TRUE\`

BystandersFollowRoleChange = `all\`

ObserverOverride = `FALSE\`

Fast-Start Failover: ENABLED

Threshold: 30 seconds

Target: dogs

Observer: prutser6.example.com

Lag Limit: 30 seconds (not in use)

Shutdown Primary: TRUE

Auto-reinststate: TRUE

Observer Reconnect: 10 seconds

Observer Override:

Configuration Status:

SUCCESS

What happens if you issue "failover to dogs;" at the DGMGRL prompt while connected to Dogs?

- A. The failover succeeds, Sheep becomes the new target standby database, and Cats is automatically reinstated.
- B. The failover succeeds and Cats is automatically reinstated.
- C. The failover succeeds and Cats is left running.
- D. The failover succeeds and Cats is terminated.
- E. It results in an error indicating that a failover is not allowed.

Correct Answer: D

---

#### QUESTION 4

Which three are true about using Flashback database through role transitions in a Data Guard environment? (Choose three.)

- A. Flashback database may not be used to undo a physical standby database activation.



B. Physical standby databases retain their current role when you flash back to a point in time before a reinstate occurred which caused this database to become a physical standby.

C. Logical standby database role are reverted to their original role when you flash back to a point in time before the switchover occurred which caused this database to become a logical standby.

D. Physical standby databases retain their current role when you flash back to a point in time before the switchover occurred which caused this database to become a physical standby.

E. Logical standby databases retain their current role when you flash back through to a point in time the switchover occurred which caused this database to become a logical standby.

Correct Answer: BCD

### QUESTION 5

The Oracle database 12c Observer is currently running on host1 and you wish to have it running on host2.

Examine this list of possible steps:

- 1) Stop the observer on host1.
- 2) Disable Fast-Start Failover.
- 3) Update the broker configuration with the new observer hostname.
- 4) Enable Fast-Start Failover.
- 5) Start the Observer on host2.

Which contains the minimum required steps to move the observer to host2?

- A. Execute only task 5.
- B. Execute tasks 1, 3, and 5.
- C. Execute tasks 1, 2, 3, 4, and 5.
- D. Execute tasks 1 and 5.

Correct Answer: D

[1Z0-066 VCE Dumps](#)

[1Z0-066 Practice Test](#)

[1Z0-066 Exam Questions](#)