



# 1Z0-066<sup>Q&As</sup>

Oracle Database 12c: Data Guard Administrator

**Pass Oracle 1Z0-066 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-066.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

In which two cases is it possible to change the protection mode to maximum protection using Enterprise Manager Cloud Control?

- A. a snapshot standby database is the only standby database in the Data Guard configuration.
- B. A logical standby database is the only standby database in the data guard configuration.
- C. A far sync instance is the only Data Guard configuration member receiving redo in synchronous mode.
- D. Flashback is not enabled for either the primary database, the standby database, or both in the Data Guard configuration.
- E. The primary and standby databases are hosted on different operating systems.

Correct Answer: BE

---

### QUESTION 2

Attempting to start the observer raises an error

DGMGRL> start observer:

DGM-16954 Unable to open and lock the Observer configuration file Failed.

Identify two possible ways to start the observer successfully

- A. Set the Observer Override property to TRUE before starting the observer
- B. Create a broker configuration and enable Fast-Start Failover before starting the observer
- C. Start the observer using a different observer configuration file.
- D. start the observer in a different working directory.
- E. Enable Fast-Start Failover before starting the observer

Correct Answer: CD

---

### QUESTION 3

Examine the Fast-start configuration



```
DGMGRL> show fast_start failover;
```

```
Fast-Start Failover: ENABLED
```

```
Threshold : 30 seconds
```

```
Target: sheep
```

```
Observer : 017.example.com
```

```
Lag Limit: 30 seconds (not in use)
```

```
Shutdown Primary: TRUE
```

```
Auto-reinstate: TRUE
```

```
Observer Reconnect: (none)
```

```
Observer Override: FALSE
```

```
Configurable Failover Conditions
```

```
Health Conditions:
```

```
Corrupted Controlfile YES
```

```
Corrupted Dictionary YES
```

```
Inaccessible Logfile NO
```

```
Stuck Archiver YES
```

```
Datafile Offline YES
```

Oracle Error Conditions: (none) Which three are true?

- A. The observer will initiate a failover when the primary database is unable to produce local archived redo log files.
- B. An automatic failover will be initiated even if the target standby database lags behind the primary
- C. The observer is running
- D. a failover may occur if the observer has lost connectivity to the primary database, even if the Fast-Start Failover target standby database has a good connection to the primary database
- E. The configuration operates in Maximum Availability mode F. The configuration operates in Maximum Performance mode

Correct Answer: ACE

---

#### QUESTION 4

Which two Data Guard features require the use of flashback database by the broker?

- A. Read-Mostly physical standby implementations
- B. Far Sync Instances
- C. Fast-Start Failover
- D. Real Time Query
- E. Snapshot Standby databases



Correct Answer: CE

---

### QUESTION 5

Examine the Data Guard configuration:

```
DGMGRL> show configuration;

Configuration -Animals

Protection Mode: MaxAvailability
Databases:
dogs- Primary database
cats- Physical standby database
sheep- Logical standby database

Fast-Start Failover: DISABLED

Configuration Status:
SUCCESS
```

Which three will be true after a switchover to Sheep?

- A. Dogs will be an enabled logical standby database.
- B. Sheep will be the primary database.
- C. Cats will be a disabled physical standby database.
- D. Dogs will be a disabled logical standby database
- E. Cats will be an enabled physical standby database.

Correct Answer: ABE

[Latest 1Z0-066 Dumps](#)

[1Z0-066 VCE Dumps](#)

[1Z0-066 Braindumps](#)