

### 1Z0-066<sup>Q&As</sup>

Oracle Database 12c: Data Guard Administrator

### Pass Oracle 1Z0-066 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/1z0-066.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



#### https://www.geekcert.com/1z0-066.html 2024 Latest geekcert 1Z0-066 PDF and VCE dumps Download

#### **QUESTION 1**

4020 HOW T
Your Data Guard environment consists of these components and settings:
1.
A primary database
2.
A remote physical standby database
3.
Real-time query is enabled
4.
The redo transport mode is set to SYNC.
5.
The protection mode is set to Maximum Availability.
You notice that queries executed on the physical standby database receive errors: ORA- 03172: STANDBY_MAX_DATA_DELAY of 15 seconds exceeded. Which two would you recommend to avoid this error?
A. Change the protection mode to Maximum Performance.
B. Increase the size of the buffer cache on the standby database instance.
C. Reduce I/O latency for the storage used by the primary database.
D. Change the protection mode to Maximum Protection.
E. Increase the network bandwidth between the primary and standby databases
F. Increase the number of standby redo log files on the primary database
Correct Answer: AE
QUESTION 2
You must configure an Oracle Data Guard environment consisting of:
1.
A primary database
2.

A Physical Standby Database

## VCE & PDF GeekCert.com

#### https://www.geekcert.com/1z0-066.html

2024 Latest geekcert 1Z0-066 PDF and VCE dumps Download

3.

A Snapshot Standby Database

You must meet these requirements:

1.

Primary database availability should not be compromised by the availability of the standby databases.

2.

Under normal operations, transactions executed on the primary database should not commit before redo is written to disk on the primary database and on at least one standby database.

Which redo transport mode, and which protection mode should you configure to meet these requirements?

- A. SYNC AFFIRM and Maximum Protection
- B. SYNC NOAFFIRM and Maximum Protection
- C. SYNC AFFIRM and Maximum Availability
- D. SYNC NOAFFIRM and Maximum Availability
- E. ASYNC and Maximum Performance

Correct Answer: C

#### **QUESTION 3**

There are currently 6 APPLIER and 6 PREPARER processes running and no idle APPLIER processes on your logical standby database. The MAX\_SERVERS SQL apply parameter and number of archiver processes are both set to 12. Identify two changes, each of which would allow you to increase the number of APPLIER processes.

- A. Increase the PROCESSES initialization parameter
- B. Increase the value for the MAX\_SERVERS SQL apply parameter.
- C. Decrease the number of archiver processes on the standby database. D. increase the PARALLEL\_MAX\_SERVER initialization parameter
- D. Decrease the number of PREPARER processes
- E. Increase the RECOVERY\_PARALLEUSM initialization parameter

Correct Answer: BE

#### **QUESTION 4**

Which three are among the various tasks performed by the data Guard Monitor (DMON) process?

# VCE & PDF GeekCert.com

#### https://www.geekcert.com/1z0-066.html

2024 Latest geekcert 1Z0-066 PDF and VCE dumps Download

A. performing role transitions when switchover requests are made

- B. communicating with DMON processes in other database instances that are part of the broker configuration
- C. activating role-based services appropriately in the various database instances of the configuration, based on the database role
- D. communicating with the DMON process of the observer to monitor a primary database in case a fast start failover is required.
- E. maintaining information about all members of the broker configuration in binary configuration files

Correct Answer: ABE

#### **QUESTION 5**

Examine the Data Guard configuration:

DGMGRL> show configuration:

Configuration -Animals

Protection Mode: MaxAvailability

Databases:

dogs- Primary database sheep-Logical standby database cats- Logical standby database

Fast-Start Failover: DISABLED

## Configuration Status: SUCCESS

Which three will be true after a switchover to Sheep?

- A. Cats will be an enabled logical standby database
- B. Cats will be a disabled logical standby database.

Latest 1Z0-066 Dumps | 1Z0-066 Exam Questions | 1Z0-066 Braindumps

- C. Dogs will be a logical standby database.
- D. Dogs will be a physical standby database
- E. Sheep will be the primary database.

Correct Answer: ACE



https://www.geekcert.com/1z0-066.html 2024 Latest geekcert 1Z0-066 PDF and VCE dumps Download

Latest 1Z0-066 Dumps

1Z0-066 Exam Questions

1Z0-066 Braindumps