



# 1Z0-067<sup>Q&As</sup>

Upgrade Oracle9i/10g/11g OCA to Oracle Database 12c OCP

## Pass Oracle 1Z0-067 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-067.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Your multitenant container database (CDB) cdb1 that is running in archivelog mode contains two pluggable databases (PDBs), pdb2\_1 and pdb2\_2, both of which are open. RMAN is connected to the target database pdb2\_1.

RMAN> BACKUP DATABASE PLUS ARCHIVELOG DELETE INPUT;

Which statement is true about the execution of this command to back up the database?

- A. All data files belonging to pdb2\_1 are backed up and all archive log files are deleted.
- B. All data files belonging to pdb2\_1 are backed up along with the archive log files.
- C. Only the data files belonging to pdb2\_ are backed up.
- D. This command gives an error because archive log files can be backed up only when RMAN is connected to the root database.

Correct Answer: C

Reference: <http://docs.oracle.com/database/121/BRADV/rcmcnctg.htm#BRADV005>

---

### QUESTION 2

You are administering a database that supports data warehousing workload and is running in noarchivelog mode. You use RMAN to perform a level 0 backup on Sundays and level 1 Incremental backups on all the other days of the week.

One of the data files is corrupted and the current online redo log file is lost because of a media failure.

You want to recover the data file.

Examine the steps involved in the recovery process:

1. Shut down the database instance.
2. Start up the database instance in nomount state.
3. Mount the database.
4. Take the data file offline.
5. Put the data file online.
6. Restore the control file.
7. Restore the database.
8. Restore the data file.
9. Open the database with the resetlog option.



10.Recover the database with the noredo option.

11.Recover the data file with the noredo option.

Identify the required steps in the correct order.

A. 4, 8, 11, 5

B. 1, 3, 8, 11, 9

C. 1, 2, 6, 3, 7, 10, 9

D. 1, 3, 7, 10, 9

E. 1, 2, 6, 3, 8, 11, 9

Correct Answer: C

---

### QUESTION 3

Examine the commands:

```
SQL> ALTER SESSION SET RECYCLBIN = ON;
```

Session altered.

```
SQL> DROP TABLE emp; --(First EMP table)
```

Total dropped.

```
SQL> CREATE TABLE emp (id NUMBER CONSTRAINT emp_id_idx PRIMARY KEY, name VARCHAR2
```

```
(15), salary NUMBER(7,2) );
```

Table created.

You then execute multiple INSERT statements to insert rows into EMP table and drop the table again:

```
SQL> DROP TABLE emp; -- (Second EMP table)
```

Table dropped.

```
SQL> FLASHBACK TABLE emp TO BEFORE DROP;
```

Which statement is true about the FLASHBACK command?

A. It recovers the structure, data, and indexes of the first emp table.

B. It recovers only the structure of the second emp table.

C. It returns an error because two tables with the same name exist in the recycle bin.

D. It recovers the structure, data, and indexes of the second emp table.

Correct Answer: D

---



#### QUESTION 4

Which two can be backed up by using RMAN in a database that is in ARCHIVELOG mode? (Choose two.)

- A. data files while the database is in NOMOUNT state
- B. data blocks in data files that have changed since the previous backup
- C. PFILE and password file in MOUNT state
- D. data files while the database is open
- E. online redo log files while the database is open

Correct Answer: BD

---

#### QUESTION 5

Your database is running in archive log mode and a nightly backup of the database, along with an autobackup of the control file, is taken by using RMAN. Because of a media failure, the SPFILE and the control files are lost.

Examine the steps to restore the SPFILE and the control file to mount the database:

1.

Set DBID of the target database in RMAN.

2.

Start the database instance by using the STARTUP FORCE NOMOUNT command in RMAN.

3.

Restore the control files from the backup.

4.

Mount the database.

5.

Restore the SPFILE from the autobackup.

6.

Create a PFILE from the recovered SPFILE.

7.

Restart the instance in NOMOUNT state.



Identify the required steps in the correct order.

A. 1, 2, 5, 3, 6, 4

B. 1, 2, 3, 5, 6, 4

C. 2, 1, 5, 7, 3, 4

D. 2, 1, 5, 6, 7, 4, 3

Correct Answer: C

[1Z0-067 PDF Dumps](#)

[1Z0-067 Study Guide](#)

[1Z0-067 Braindumps](#)