



1Z0-067^{Q&As}

Upgrade Oracle9i/10g/11g OCA to Oracle Database 12c OCP

Pass Oracle 1Z0-067 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-067.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You notice that the performance of your production 24x7 Oracle 12c database has significantly degraded. Sometimes, you are not able to connect to the database instance because it hangs.

How can you detect the cause of the degraded performance?

- A. by performing emergency monitoring using Real-Time Automatic Database Diagnostic Monitor (ADDM) to fetch data directly from SGA for analysis
- B. by running ADDM to fetch information from the latest Automatic Workload Repository (AWR) snapshots
- C. by using Active Session History (ASH) data and performing hang analysis
- D. by running ADDM in diagnostic mode

Correct Answer: B

QUESTION 2

In your database, the tbs percent used parameter is set to 60 and the tbs percent free parameter is set to 20.

Which two storage-tiering actions might be automated when using Information Lifecycle Management (ILM) to automate data movement?

- A. The movement of all segments to a target tablespace with a higher degree of compression, on a different storage tier, when the source tablespace exceeds tbs percent used
- B. Setting the target tablespace to read-only after the segments are moved
- C. The movement of some segments to a target tablespace with a higher degree of compression, on a different storage tier, when the source tablespace exceeds TBS percent used
- D. Taking the target tablespace offline after the segments are moved
- E. The movement of some blocks to a target tablespace with a lower degree of compression, on a different storage tier, when the source tablespace exceeds tbs percent used

Correct Answer: BC

The threshold for activating tiering policies is based on two parameters: TBS PERCENT USED TBS PERCENT FREE Both values can be controlled by the DBMS_ILM_ADMIN package. TBS PERCENT USED and TBS PERCENT FREE default to 85 and 25, respectively. Hence, whenever the source tablespace's usage percentage goes beyond 85 percent, any tiering policy specified on its objects will be executed and objects will be moved to the target tablespace until the source tablespace becomes at least 25 percent free. Note that it is possible to add a custom condition to tiering policies to enable movement of data based on conditions other than how full the tablespace is. In addition, the READ ONLY option must be explicitly specified for the target tablespace.

QUESTION 3



Examine the RMAN command:

```
RMAN> SET ENCRYPTION IDENTIFIED BY ON FOR ALL TABLESPACES; RMAN> BACKUP DATABASE PLUS ARCHIVELOG;
```

Which type of encryption is used for the backup performed by using this command?

- A. password-mode encryption
- B. dual-mode encryption
- C. transparent encryption
- D. default encryption

Correct Answer: B

To make dual-mode encrypted backups: Start RMAN and connect to a target database and recovery catalog (if used). Execute the SET ENCRYPTION BY PASSWORD command, making sure to omit the ONLY keyword. The following example sets the encryption password for all tablespaces (where password is a placeholder for the actual password that you enter) in the backup and omits ONLY to indicate dual-mode encryption: SET ENCRYPTION IDENTIFIED BY password ON FOR ALL TABLESPACES;

References:http://docs.oracle.com/cd/B28359_01/backup.111/b28270/rcmbckad.htm#CEGEJABH

QUESTION 4

Which two methods can be used to add an Oracle 11g database to a multitenant container database (CDB) as a pluggable database (PDB)?

- A. Use the DBMS_pdb package to plug the Oracle 11g database into the existing CDB as a PDB.
- B. Use the create database ... enable pluggable database statement to create a PDB by copying data files from pd3Seed and use data pump to load data from the Oracle 11g database into the newly created PDB.
- C. Pre-create a PDB in CDB and use data pump to load data from the complete database export of the Oracle 11g database into the newly created PDB.
- D. Pre-create a PDB in CDB and use the network_link and parallel parameters with data pump import to import data from the Oracle 11g database to the newly created PDB.
- E. Upgrade the Oracle 11g database to a 12c non-CDB and use the dbms_pdb.describe procedure to plug the database as a new PDB into the CDB.

Correct Answer: DE

QUESTION 5

You perform an RMAN block media recovery on the tools 01.dbf data file in the SALES database. Which two statements are true? (Choose two.)

- A. You must ensure that the SALES database is mounted or open.
- B. You must restore a backup control file to perform a block media recovery.



- C. You must take the tools01.dbf data file offline before you start a block media recovery.
- D. You must put the database in NOARCHIVELOG mode to perform a block media recovery.
- E. You can perform only a complete media recovery of individual blocks, point-in-time recovery of individual data blocks is not supported.

Correct Answer: AE

[1Z0-067 Practice Test](#)

[1Z0-067 Study Guide](#)

[1Z0-067 Braindumps](#)