



1Z0-068^{Q&As}

Oracle Database 12c: RAC and Grid Infrastructure Administration

Pass Oracle 1Z0-068 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/1z0-068.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You support a three-instance, policy-managed, multitenant RAC database CDB1 with two PDBs PDB_1 and PDB_2.

It runs on an eight-node cluster and a serverpool prod_pool has three servers.

Examine these commands executed on HOST01:

```
$ srvctl add service ?b CDB1 ?db PDB_1 ?ervice HR ?erverpool prod_pool $ srvctl start service ?b CDB1 ?ervice HR
```

```
$ srvctl stop service ?b CDB1 ?ervice HR
```

Which two statements are true?

- A. HR is uniformly managed across all instances in prod_pool.
- B. srvctl stop service only closes PDB_1 in the instance on HOST01.
- C. srvctl stop service closes PDB_1 on all CDB1 instances.
- D. srvctl stop service prevents logins for HR only to CDB1 on HOST01.
- E. srvctl stop service prevents logins to any instance of CDB1 using service HR.
- F. HR is available on a single instance of prod_pool.

Correct Answer: BF

Section: (none)

QUESTION 2

Which two types of IP addresses does Oracle Clusterware 12c acquire from DHCP when it started up on a cluster node using Grid Naming Service (GNS)? (Choose two.)

- A. Single Client Access Name (SCAN) virtual IP addresses (VIPs)
- B. Grid Naming Service (GNS) VIPs
- C. ASM Listener VIPs
- D. High Available IP (HAIP) addresses uses for the cluster interconnect
- E. Intelligent Platform Management Interface (IPMI) IP addresses

Correct Answer: DE

Section: (none)

QUESTION 3



Which three statements are true about displaying the location of voting files, OCR files, or OLR files in Oracle Clusterware 12c on a UNIX system?

- A. Use `cat /etc/oracle/ocr.loc` to view the location of the OCR if stored in ASM.
- B. Use `ocrcheck` command to view the location of the OCR only if stored in a file system.
- C. Use `crsctl query votedisk` to view the location of voting files if stored in ASM.
- D. Use the `ls` command in the `asmcmd` utility to view the location of voting files if stored in ASM.
- E. Use `crsctl query votedisk` to view the location of voting files if stored in a file system.
- F. Use `cat /etc/oracle/olr.loc` to view the location of the OCR and OLR if stored on a file system.

Correct Answer: BEF

Section: (none)

B: The `OCRCHECK` utility displays the version of the OCR's block format, total space available and used space, OCRID, and the OCR locations that you have configured

Use the `ocrconfig -add` command to add an OCR location to a shared file system or Oracle Automatic Storage Management (Oracle ASM) disk group.

Note: The example shows using the `ocrcheck -config -details` command to obtain the location of OCR in an Oracle ASM disk group.

Using `OCRCHECK` to Obtain OCR Information: `$ ocrcheck -config -details`

Oracle Cluster Registry configuration is :

Device/File Name : +ocrvd11/mjk_1/OCRFILE/registry.255.842574113 Device/File Name :
+ocrdv2/mjk_1/OCRFILE/registry.255.842574125

E: To determine the current voting disk by issuing the following command:

```
crsctl query votedisk css
```

F: The `olr.loc` file consists of the OLR config file location and the `crs_home` location.

```
$ cat olr.loc
```

```
olrconfig_loc=/u01/app/oracle/grid/11.2.0/cdata/.olr crs_home=/u01/app/oracle/grid/11.2.0
```

So, by default the location is `olrconfig_loc =/cdata/.olr`.

References:

<https://docs.oracle.com/database/121/CWADD/ocrsyntax.htm#CWADD92028> <https://gjilevski.com/2009/09/23/what-is-a-voting-disk/>

QUESTION 4

A Java application will be deployed, and you must configure a RAC database to support highly available connections.



The application will use the Universal Connection Pool (UCP), and Fast Connection Failover (FCF) must be enabled. Which two statements are true? (Choose two.)

- A. The application may use the JDBC thin driver.
- B. The ons.jar file must be present in the CLASSPATH.
- C. The ONS daemon must be started on the middle tier running the Java application.
- D. You must configure TAF, either on the client or for the service.
- E. The ONS daemon must be started on the middle tier and client machines to enable FCF.

Correct Answer: AE

Section: (none)

QUESTION 5

Which three statements are true about ASM Cloud File System (ACFS) auditing?

- A. Audit information gathered by each cluster node can be consolidated into the unified ACFS audit trail.
- B. acfsutil audit archive must be used to archive audit files that are larger than 10MB.
- C. acfsutil audit init must be run by a system administrator.
- D. acfsutil audit purge can be run by an audit manager.
- E. acfsutil audit read marks audit files to indicate that it is safe to purge them.

Correct Answer: CDE

Section: (none)

C: The acfsutil audit init command must be run by the system administrator before enabling auditing for any of the audit sources on a file system.

D: Only an audit manager can run the acfsutil audit purge command.

E: acfsutil audit read marks the audit trail to indicate to the audit manager that the log archive file for the current node has been reviewed, backed up as necessary, and is safe to purge.

Incorrect Answers:

B: acfsutil audit archive does not address file size.

References: <https://docs.oracle.com/database/121/OSTMG/GUID-DF1A88B0-E86C-4ABB-BDFD-B06DA8D4CBEC.htm#OSTMG90000>